# Hickory Handspikes.

HICKORY HANDSPIKES shall be six feet long, and three and a-half inches square at the smaller end.

#### Ash Oars.

Ash Oars shall be three inches square on the loin, and five inches broad on the blade: the blade shall be one-third of the length of the oar; and such oars shall be cleft straight on all sides, and free from large knots, splits and shakes.

#### Lathmood.

LATHWOOD shall be cut in lengths of from three to six feet, and measured by the cord of eight feet in length by four feet in height: the same, to be merchantable, shall be free from rot, and split freely; and each billet may contain to the extent of three or four open case-knots, provided they run in line, or nearly so; and it shall not have more than one twist.

## Pine or Fir Boards.

PINE OF FIR BOARDS shall not be less than ten feet in length, not less than one inch in thickness, not less than seven inches in breadth, equally broad from end to end, edged with a saw, or neatly trimmed by a straight line, and shall be free from rot, bad knots, rents and shakes, and of equal thickness on both edges from end to end; but the colour alone of any board shall not be sufficient cause for its rejection, if it is in other respects sound and merchantable, and of the dimensions required by this Act.

## White or Yellow Pine Deals.

WHITE OF YELLOW PINE DEALS, to be merchantable, shall be free from rot, rotten knots, grub-worm holes, open case