JORDAN PETROLEUM REFINERY CO. LTD.

LABORATORY

Certificate No. :
Date Issued :
Tank No. :
Sampling Date:

SPECIFICATIONS

Gasoline
Super

TESTS			RESULTS		METHODS
Distillation					ASTM D-86
Fuel Recovered					
10% Vol.	@	°C	70	Max.	
50% Vol.	@	°C	120	Max.	
90% Vol.	@	°C	180	Max.	
End Point		°C	205	Max.	
Vapor Pressure @ 100 °F		kg/cm²	0.7	Max.	ASTM D-323
Color			Yellow		—
Total Sulfur		% wt	0.2	Max.	ASTM D-1266
Corrosion, Copper (3hr. at 50°C) Classification			NO. 1 Strip.		ASTM D-130
Oxidation Satbility		Minutes	360	Min.	ASTM D-525
Existent Gum		mg/100cc.	4.0	Max.	ASTM D-381
TEL Content		CC/USG	3.0	Max.	ASTM D9341
Octane No. R. M.			96		ASTM D-2699

Remarks :

Chief Chemist

31/1/94