APPENDIX I

JORDAN PETROLEUM REFINERY CO. LTD.

LABORATORY

Certificate No. :
Date Issued :
Tank No. :
Sampling Date :

SPECIFICATIONS

Gasoline
Royal

TESTS	RESULTS	METHODS
Distillation		ASTM D-86
Fuel Recovered		
10 % Vol. @ °C	70 Max.	
50 % Vol. @ °C	120 Max.	
90 % Vol. @ °C	180 Max.	
End Point °C	205 Max.	
Vapor Pressure @ 100 °F kg/cm²	0.7 Max.	ASTM D-323
Color	Yellow	—
Total Sulfur % wt	0.2 Max.	ASTM D-1266
Corrosion, Copper (3hr. at 50°C) Classification	NO. 1 Strip.	ASTM D-130
Oxidation Satbility Minutes	360 Min.	ASTM D-525
Existent Gum mg/100cc.	4.0 Max.	ASTM D-381
TEL Content CC/USG	3.0 Max.	ASTM D-3341
Octane No. R. M.	98	ASTM D-2699

Remarks :

Chief Chemist

31/.12.