CIHM Microfiche Series (Monographs) ICMH Collection de microfiches (monographies)



Canadian Institute for Historical Microreproductions / Institut canadien de microreproductions historiques



Technical end Bibliogrephic Notes / Notes techniques et bibliographiques

The Institute has attempted to obtain the best original copy evallable for filming. Features of this copy which may be bibliographically unique, which may alter any of the images in the reproduction, or which may significantly change the usual method of filming, are checked below. L'Institut e microfilmé le meilleur exemplaire qu'il lui e été possible de se procurer. Les déteils de cet exempleire qui sont peut-être uniques du point de vue bibliographique, qui peuvent modifier une image reproduite, ou qui peuvent exiger une modification dans le méthode normele de filmage sont indiqués ci-dessous.

	Coloured covers/				Colo	ured pages/		
V	Couverture de couleur	,			Peges	de couleur		
	Covers demaged/				Pages	dameged/		
\checkmark	Couverture endomma	gée			Page	andommagées		
		A				and and/o	- Inmineted/	
	Covers restored end/o	r lamineted/			P per	ves pred and/d	u pelliculées	
	Cover title missing/				Par.	de reloured, st	ained or foxed/	
	Le titre de couverture	manque			Land Pege	Gecolorees, tai	meters ou pique	53
	Coloured meps/				Pege	s detached/		
	Cartes géogrephiques	en couleur			Pege:	s détachées		
	Coloured ink (i.e. oth	er than blue or	black)/		Show	through/		
	Encre de couleur (i.e.	eutre que bleut	e ou noire)		Tran	sparence		
	Coloured pletes end/o	or illustrations/	IT		Qual	ity of print veri ité inégale de l'i	es/	
L								
\square	Bound with other ma	teriel/			Cont	inuous paginati	on/	
	Relié avec d'autres do	cuments			Pagir	ation continue		
	Tight binding mey ca	use shadows or	distortion		Inclu	ides index(es)/		
	along interior margin	/ 			Com	prend un (des)	index	
	La reliure serree peut distorsion le long de l	a marge intéries	pre ou de la Ure		Title	on header teke	n from:/	
					Le ti	tre de l'en-tête	provient:	
	Blenk leaves added de	uring restoretion	n may appear		Tiele	man of insuel		
L	been omitted from fil		Page de titre de le livraison					
	Il se peut que certeine	es pages blench	es ejoutées					
	lors d'une restauratio	n apparaissent o	dens le texte,		Capt	ion of issue/		
	mais, lorsque cela eta pas été filmées.	IT POSSIDIE, CES	peges n'ont			e de depart de la	IIVraison	
	p== c.c				Mast	head/		
					Gèni	èrique (périodiq	ues) de la livraiso	n
	Additional comments	e./ Pa	agination i	s as foll	.ows: p.	[438]-450.		
V	Commentaires supplé	mentaires:						
This	inous in films of an ob-		had bet					
Ce de	ocument est filmé au t	auction ratio ci nux de réductio	necked below/ n indiqué ci-des	sous.				
10×	143		18X	22	x	26 X		io x
	TTTT	TTT						TT
	12 2	16 4		20 Y	74	Y	294	22

The copy filmed here has been reproduced thanks to the generosity of:

University of Toronto Archives

The images eppearing here are the best quality possible considering the condition and legibility of the original copy and in keeping with the filming contract specifications.

Original copies in printed paper covers are filmed beginning with the front cover and anding on the last page with a printed or illustrated impression, or the back cover when appropriate. All other original copies are filmed beginning on the first page with a printed or illustrated impression, and anding on the last page with a printed or illustrated impression.

The lest recorded frame on each microfiche shell contain the symbol \longrightarrow (meaning "CON-TINUED"), or the symbol ∇ (meaning "END"), whichever epplies.

Meps, pletes, cherts, etc., mey be filmed et different reduction retios. Those too lerge to be entirely included in one exposure ere filmed beginning in the upper left hand corner, left to right end top to bottom, es many frames as required. The following diagrems illustrete the method: L'exemplaire filmé fut reproduit grâce à la générosité de:

University of Toronto Archives

Les images suivantes ont été reproduites avec le plus grand soin, compte tenu de la condition et de la nattaté de l'exempleire filmé, et an co. formité evec les conditions du contrat de filmage.

Les exempleires origineux dont le couverture en pepier est imprimée sont filmés en commençent per le premier plet et en terminent soit per le dernière pege qui comporte une empreinte d'impression ou d'illustration, soit par le second plet, selon le ces. Tous les eutres exempleires origineux sont filmés en commençent per le premièro pege qui comporte une empreinte d'impression ou d'illustration et en terminant par la dernière pege qui comporte une telle empreinte.

Un des symboles sulvents epparaître sur le dernière imege de cheque microfiche, selon le ces: le symbole \longrightarrow signifie "A SUIVRE", le symbole ∇ signifie "FIN".

Les cartes, plenches, tebleeux, etc., peuvent être filmés à des taux de réduction différents. Lorsque le document est trop grand pour être reproduit en un seul cliché, il est filmé à partir de l'angle supérieur gauche, de geuche à droite, et de haut en bes, en prenent le nombre d'Imeges nécesseire. Les diegremmes sulvants lilustrent le méthode.



5

6



UNIVERSITY OF TORONTO STUDIES

PAPERS FROM THE CHEMICAL LABORATORIES

No. 102: THE RATE OF DISSOCIATION OF NITROGEN PEROXIDE, BY W. L. ARGO

(REPRINTED FROM JOURNAL OF PHYSICAI. CHEMISTRY, VOL. XVIII)



1. 2. A.

-

*

THE UNIVERSITY LIBRARY: PUBLISHED BY THE LIBRARIAN, 1914

University of Toronto Studies COMMITTEE OF MANAGEMEN

Chairman: ROBERT ALEXANDER FALCONER, M.A., Litt.D., LL.D., D.D. President of the University

PROFESSOR W. J. ALEXANDER, PH. D.

PROFESSOR W. H. ELLIS, M.A., M.B.

PROFESSOR J. J. MACKENZIE, B.A.

PROFESSOR J. P. MCMURRICH, PH.D.

PROFESSOR G. H. NEEDLER, PH.D.

PROFESSOR GEORGE M. WRONG, M.A.

General Editor: H. H. I.ANGTON, M.A. Librarian of the University



THE RATE OF DISSOCIATION OF NITROGEN PER-OXIDE

BY W. L. ARGO

The relation between the pressure, temperature and density of nitrogen peroxide is satisfactorily expressed by the statement that there is equilibrium between two gases with formulae N_2O_4 and NO_2 .¹ Up to the present, no experiments have been made with the object of ascertaining whether any appreciable time is require for establishing equilibrium between these two gases, after an alteration of pressure. The purpose of the present paper is to determine whether in very rapid changes of pressure there is any evidence of "lag" in the reaction.

In his experiments on the rates of reaction of gases, van't Hoff² found that in many cases the walls of the vessel hastened the reaction. To eliminate this factor, and at the same time to obtain the necessary rapidity in the pressure changes, the oscillations of stationary sound waves have been made use of in this research.

If the ehange of dissociation is very rapid there will be equilibrium between the nitrogen tetroxide and dioxide, according to the equation N_2O_4 $2NO_2$, at every instant during the oscillations of the sound waves, and the local density of the gas at each moment will correspond to what would be found by ordinary density measurements for the local pressure and temperature.

If, on the other hand, the rate of reaction is so small that no appreciable changes in dissociation occur, the density at every moment will be that ealculated by the gas law pV = nRT, when *n* is constant.

If the velocity of sound in nitrogen peroxide ean be ealeulated with sufficient accuracy for each of these limiting assumptions, it will be possible, by measurement of sound velocity

¹ Gibbs: Trans. Conn. Acad., 3, 240 (1878).

² Van't Hoff-Cohen: Studien zur chemischen Dynamik, p. 45 (1896).

in the gas, to decide whether the rate of dissociation corresponds to either one of these limiting cases or has some intermediate value.

Calculation of $d\rho/dp$

Symbols used:

T = absolute temperature.

p = pressure of nitrogen peroxide in mm mereury.

 $p_1 = \text{pressure of air in mm mercury.}$

V = volume in cc of 92.08 grams nitrogen peroxide at p.

- V_1 = volume in cc of 28.97 grams air at p_1 .
- d = density of nitrogen peroxide compared with air, at T and p.
- $\rho = \frac{92.08}{V}$ (density of nitrogen peroxide, in grams per cc).
- $\rho_1 = \frac{28.97}{V_1}$ (density of air in grams per cc).

R = 62340.

 $\alpha = 92.08/28.97d - 1$ ("degree of dissociation").

 c'_{t} = sp. heat per formula weight, at _onstant volume, of NO₂.

 $c^* = \text{sp. heat per formula weight, at constant volume, of N₂O₄.$ $<math>c_p = (1 - \alpha)c_p^* + 2\alpha c_p$

$$1 \pm \alpha$$

 $\kappa_1 = 1.405$ (Ratio of specific heats at constant pressure and constant volume for air).

K = dissociation constant of nitrogen peroxide, defined by $4\alpha^2$

 $\frac{1}{V(1-\alpha)} = K.$

 $h = \text{heat given out, in cal., when N₂O₄ changes to 2NO₂ at constant volume.$

 λ = wave length in ent of stationary sound waves in nitrogen peroxide.

 λ_1 = wave lengths in cm of stationary sound waves in air.

 $\nu = no.$ of vibrations per second of rod forming sound waves.

Calculation of
$$\frac{d\rho}{dp}$$
 from wave lengths. From the formulae

for the velocity of sound.¹

$$\frac{d\rho}{dp} = \frac{\text{const.}}{\lambda^2 v^2}; \quad \frac{d\rho_1}{dp_1} = \frac{\text{const.}}{\lambda_1^2 v^2};$$
$$\frac{d\rho}{dp} = \frac{\lambda_1^2 \rho_1}{\lambda_1^2 p \kappa_1}; \quad (1)$$

This gives an experimental method for determining $\frac{d\rho}{d\rho}$

¹ Clausius: Mech. Wärmetheorie, p. 52 (1876).

for uitrogen peroxide from measurements of wave length in it and in air, for the same note.

Calculation of hypothetical $\frac{d\rho}{dp}$. The value of $\frac{d\rho}{dp}$ may be

calculated under the two assumptions made above:

Assumption A.—That the dissociation is so rapid that chemical equilibrium exists at every moment.

Assumption B.—That the dissociation is so slow that no chemical reartion takes place during the changes due to the st ind waves.

The values under Assumptions A and B will be indicated by $\binom{d\rho}{dp}_{A}$ and $\binom{d\rho}{dp}_{B}$, respectively. These will be compared

with the experimental value $\binom{d\rho}{dp}_{exp}$ given by equation (1).

For a small adiabatic change of the nitrogen perca. ie

$$o = -h\left(\frac{\partial\alpha}{\partial V}\right)_{T} dV + \frac{1\cdot359}{42660} p dV - h\left(\frac{\partial\alpha}{\partial T}\right)_{v} dT + (1-\alpha)c_{v}^{*} dT + 2\alpha c_{v}^{'} dT$$
$$+ 2\alpha c_{v}^{'} dT$$
$$\frac{dV}{dT} = \frac{h\left(\frac{\partial\alpha}{\partial T}\right)_{v} - (1-\alpha)c_{v}^{*} - 2\alpha c_{v}^{'}}{\frac{1\cdot359}{42660} p - h\left(\frac{\partial\alpha}{\partial V}\right)_{T}}.$$
(2)

Also

and the second s

 $(1 + \alpha)RT = pV.$ (3)

From (2) and (3), and noting that $\frac{d\rho}{dp} = -\frac{\rho}{V}\frac{dV}{dp}$

$$\frac{d\rho}{dp} = -\frac{\rho}{\frac{R\left\{T\left(\frac{\partial\alpha}{\partial T}\right)_{v}+1+\alpha\left\{\frac{1\cdot35^{\circ}}{4266\circ}p-h\left(\frac{\partial\alpha}{\partial V}\right)_{T}\right\}}{h\left(\frac{\partial\alpha}{\partial T}\right)_{v}-(1-\alpha)c_{v}^{"}-2\alpha c'}} + RT\left(\frac{\partial\alpha}{\partial V}\right)_{T}-p.$$
(4)

Under Assumption A, since $K = \frac{4\alpha^2}{V(1-\alpha)}$

$$\begin{pmatrix} \partial \alpha \\ \partial V \end{pmatrix}_{T} = \frac{K(1-\alpha)^{2}}{4(2-\alpha)} = \frac{\alpha^{2}(1-\alpha)p}{(2-\alpha)RT}.$$

441

And since from van't Hoff's equation, $\frac{dlnK}{dT} = -\frac{h}{1.985T^2}$ $\begin{pmatrix} \partial \alpha \\ \partial T \end{pmatrix}_{v} = -\frac{h\alpha(1-\alpha)}{1.985'\Gamma^{2}(2-\alpha)}$

Equation (4) now becomes by substitution

$$\begin{pmatrix} d\rho \\ d\rho \end{pmatrix}_{A} = \frac{p}{ \frac{1}{2 - \frac{hM}{1.985T} + (1 + \alpha) \frac{h}{1} \frac{1}{1.985} - \frac{h\alpha M}{T} \frac{h}{1}}$$
(5)
$$\frac{h^{2}M}{1.985T^{2}} + \alpha c_{y}^{*} + 2\alpha c_{y}^{'}$$

in which $14 = \frac{\alpha(-\alpha)}{2-\alpha}$ and α has the value calculated from ordinary density measurements.

Under Assumption $B\begin{pmatrix} \partial \alpha \\ \partial V \end{pmatrix}_{T} = 0$ and $\begin{pmatrix} \partial \alpha \\ \partial T \end{pmatrix}_{V} = 0$, and equa-

tion (4) becomes

$$\begin{pmatrix} d\rho \\ dp \end{pmatrix}_{\rm B} = -\frac{\rho}{\frac{R(1+\alpha)\frac{1.359p}{42600}}{\frac{1}{42600}}} = \frac{c_{\rm v}}{c_{\rm v}+1.985} \cdot \frac{\rho}{p}$$
(6)

corresponding to Laplace's formula for an ordinary gas.

Data Used.—For h the value -12900 cal., calculated by van't Hoff, 1 has been used. The values of α were cal ulated from the density ρ , by equation (3); ρ and p were f ... and directly by E. and U. Natanson in their determinations of sound wave length. In my experiments the weight, volume and temperature were determined and the pressure was found by Gibbs' equation²

$$\log_{10} \frac{(3.178 - d)^2 P}{2(d - 1.589)} = 9.47056 - \frac{3118.6}{7}$$

in which P is the pressure in atmospheres.

The only data about which there is much uncertainty are the values of c'_v and c''_v . From Berthelot and Ogier's³

¹ Van't Hoff-Cohen: Studien zur chem. Dynamik, p. 158 (1896).

² Gibbs: Trans. Conn. Acad., 3, 239 (1878).

^a Ann. Chim. Phys., [5] 30, 382 (1883).

determinations of the total heat given out on cooling nitrogen peroxide through various intervals of temperature, and taking the heat of dissociation as -(13132 + 2T) cal., Schreber¹ has calculated the values of c'_v and c''_v on the assumption that $c'_{n} = 2c'_{n}$. He gives the values 12.85 and 6.43. His calculation, however, contains the erroneous assumption that the heat required to raise the temperature of 92.08 grams of nitrogen peroxide through 1° at constant volume (C_v) is equal to the corresponding value for constant pressure 14.85 cal., (C_b) , less 1.985 (instead of $(1 + \alpha)$ 1.985). Moreover, Schreber's number 14.85 was obtained by averaging the values found for various intervals of temperature ranging from about $290^{\circ} - 28^{\circ}$ to $150^{\circ} - 28^{\circ}$ on the wrong assumption that C, is independent of the temperature. The specific heat at constant pressure for 92.08 grams must increase with increasing dissociation according to the equation $C_p = C_v +$ 1.985(1 + α). Unfortunately the experimental data on which these values are based are not sufficiently concordant to warrant a strict recalculation. A rough estimate, however, was made as follows:

By taking intervals of temperature Θ (about 25° each) from 290° to 28°, and calculating the values of $\Theta\{(\mathbf{I} - \alpha)c_p^* + 2\alpha c_p^*\}$ for the averages of the value of α at the upper and lower ends of each interval, and summing these values over intervals corresponding to Berthelot and Ogier's experiments, a set of numbers is obtained whose average is 14.85 when c_p^* is taken as 13.4 and c_p' as 7.7.² This gives $c_v^* = 11.4$ and $c_v^* = 5.7$.

The value $c'_v = 5.7$ is low compared with those of other gases of similar formulae, as shown by the following table:

¹ Zeit. phys. Chem., 24, 651 (1897).

² These values were found after a few approximations. c'_v is assumed equal to zc'_v . This assumption is justified to a certain extent by the fact that the relation between density of nitrogen peroxide and temperature is closely represented by an equation of Gibbs' in which this assumption is implied. (See Trans. Conn. Acad., 3, 244 (1878).)

CO2	7.55
N ₂ O	7.95
H ₂ O	6.65
SO ₂	7.88
H_2S	6.27
CS_2	9.93

Average, 7.70

If in these calculations the value -12900 cal., calculated by van't Hoff from Deville and Troost's measurements is used for the heat of dissociation instead of -13132 cal., calculated by Schreber from Natanson's experiments, the values for $c_v^{"}$ and $c_v^{'}$ would come out about 12 percent greate:, say 12.8 and 6.4. Van't Hoff¹ mentions the value 16.86 for 92 grams of nitrogen peroxide "at high temperatures where dccomposition can be neglected," but does not say how he obtained it. This would give 16.86/2 - 1.985 = 6.45 for $c_v^{"}$. Because of this agreement with van't Hoff's value, and the higher values for other gases, the values

 $c''_{v} = 12.8$ and $c'_{v} = 6.4$

have been used in the calculations. Fortunately the effect of errors in the specific heats on the values $\left(\frac{d\rho}{dp}\right)_{\rm A}$ and $\left(\frac{d\rho}{dp}\right)_{\rm B}$ are relatively small. (See p. 444.)

Comparison of Calculated and Observed Values of $\begin{pmatrix} d\rho \\ d\rho \end{pmatrix}$

The following table shows the calculated values of $\left(\frac{d\rho}{dp}\right)_{\rm A}$, and $\left(\frac{d\rho}{dp}\right)_{\rm B}$, and the values of $\left(\frac{d\rho}{dp}\right)_{\rm exp.}$ obtained from four sets of the sound wave measurements of E. and U. Natanson:²

ł	р mm	d (meas- ured)	λ _ι mm	λ mm	$\left(\frac{d\rho}{d\dot{p}}\right)_{\rm A}^{ imes100}$	$\begin{pmatrix} d ho \\ dp \end{pmatrix}_{ m B}^{ imes 10^6}$	$ \begin{pmatrix} d\rho \\ dp \end{pmatrix}_{\exp}^{\times 10^{\circ}} $
21.72°C	230.59	2.486	42.09	23.64	3.659	3.275	3 · 558
21.25	367.08	2.599	42.05	23.08	3.833	3.452	3 · 733
21.81	617.63	2.709	41.80	22.27	3.987	3.619	3 · 953
19.96	640.76	2.762	41.98	22.19	4.092	3.718	4 · 042

¹ Van't Hoff-Cohen: Studien zur chem. Dynamik, p. 158 (1896).

² Wied Ann., 24, 454 (1885).

The experimental values $\begin{pmatrix} d\rho \\ dp \end{pmatrix}_{exp.}$ agree very closely with those for $\begin{pmatrix} d\rho \\ dp \end{pmatrix}_A$, the greatest deviation being 2.8 percent and the least 0.9 percent. On the other hand, the experimental values differ from $\begin{pmatrix} d\rho \\ dp \end{pmatrix}_B$ by from 8.5 percent to 7.5 percent.

The Effect of Errors in Data

The following table shows the percent effect on the values at the heads of the columns caused by a one percent increase in the data shown in the first column:

	$\begin{pmatrix} d\rho \\ dp \end{pmatrix}_{\mathbf{A}}$	$\left(\frac{d\rho}{dp}\right)_{\rm B}$	$ \begin{pmatrix} d\rho \\ dp \end{pmatrix}_{exp.} $
λι	0	0	+2
λ	0	О	2
α	+1.04 te +0.96	+1.15 to $+1.17$	0
Cu	+0.013 th +0.010	+0.15 to +0.17	0
—h	+0.05 to +0.09	0	О

Thus, to bring the values $\left(\frac{d\rho}{dp}\right)_{exp.}$ down to the values $\left(\frac{d\rho}{dp}\right)_{p}$ there would have to be consistent errors of about

+4 percent in λ , or -4 percent in λ_1 (or +2 percent in λ and -2 percent in λ_1). Chance errors in the measurement of wave length are much less than this (see values, page 449), and it is quite improbable that methodical errors would have opposite signs in λ and λ_1 .

To bring the values $\left(\frac{d\rho}{dp}\right)_{\rm B}$ up to the value $\left(\frac{d\rho}{dp}\right)_{\rm exp.}$ an error of about +7 percent would be necessary in *d*, or an error of about +50 percent in c_v . Errors of these magnitudes are practically impossible in *d*, and very unlikely even in the case of the doubtful c_v .

The results of the above comparison may be taken therefore as conclusive evidence that Assumption B is not in accordance with the facts.

It may be noted in connection with this conclusion that it is clearly impracticable to use sound velocity as a means of

measuring the ratio $\frac{C_p}{C_p}$ for nitrogen peroxide.

New Experiments

Natanson's determinations involved the use of a mercury manometer and stop-cocks. The stop-cock lubricant is readily attacked by the nitrogen peroxide, and as a result water vapor in slight traces may have reached the gas and catalysed the reaction. In order to check the above conclusion with a carefully dried gas and, at the same time, to investigate the effect of water vapor, added in known quantity, the following experiments were carried out.

The apparatus finally designed had neither stop-cocks nor manometer. The stop-cocks were eliminated because it was found that even metaphosphoric acid used as lubricant allowed leaks. As the use of a manometer would require stop-cocks to protect the mercury from the peroxide, the pressure of the gas was calculated from measurements of its volume and weight by the use of the Gibbs' equation (see page 441).

The sound-producing apparatus was somewhat different from the Natanson type. The sounding tube AB, 120 cm long and 1.0 cm cross section, with a flattened bulb at each



Fig. 1

end, is clamped at its middle, C. It is sealed into the gas chamber DF at D, so that DB is 20 cm long. As this is equivalent to a second clam₁ at D the sounding tube is dat bed at

1/2 and 1/8 its length. The gas chamber in this way is theoretically stationary, whereas in the Natanson type it formed part of the vibrating system. The apparatus is thus less fragile and the dust heaps are less irregular than when they are formed on a vibrating surface. The adjustment of length of the gas column is made by means of an inner tube F, supported by platinum loops sealed into its walls. It can be adjusted by tapping the end of the gas chamber. The loops fitted tightly enough to prevent the tube from sliding when the apparatus was held vertically. The powder for forming the dust heaps, precipitated silica, was placed in this inner tube.

At G a glass rod GH was sealed into the flat end of the inner tube. Its length was such that when the tube was moved back sufficiently, a capillary tube, sealed in at J, was broken. This capillary contained about 0.001 gram of water. The bulb K, of about 6 cc capacity, in which the nitrogen peroxide was to be finally condensed by liquid air, opened into the nitrogen peroxide reservoir L and the gas chamber through constrictions E and M. The side tube N opened into a glass bulb P containing cocoanut charcoal which was in communication with an air pump and a McLeod gauge.

The nitrogen peroxide was prepared from pulverized lead nitrate dried for an hour at about 120° C. This was mixed with dry sand to prevent caking, and was decomposed in a combustion tube through which passed a strong current of dry oxygen. The nitrogen peroxide was condensed in the reservoir L, of about 15 cc capacity, containing phosphorus pentoxide. The reservoir was then sealed off until ready for use. The nitrogen peroxide remained in contact with the phosphorus pentoxide for one week before it was used in the experiment.

The preparatory operations were as follows: The apparatus from D to K was enclosed in a heating oven. The nitrogen peroxide reservoir was immers \exists in liquid air, opened, id sealed to the ε_{\perp} aratus at M. (The blowing was done through a phosphorus pentoxide tube to prevent access of moisture.) When the air-pump was started, the nit gen

peroxide was heated to its melting point and then re-frozen slowly to prevent the lodging of air bubbles in the interstices of the frozen mass. The bulb was then kept immersed in liquid air.

The apparatus from D to R was heated to 195° C to remove the adsorbed water from the powder and from the walls of the vessel. As previous experiments had shown that at this temperature the water in the capillary etched and cracked the glass the part RM was heated only to 150° C. The bulb P was also heated to 200° C. When, after about three hours, the system had been exhausted to a pressure of 0.02 mm, the gauge and pump were sealed off at S. The bulb P was then immersed in liquid air to produce as complete a vacuum as possible. After six hours the bulb was sealed off at V and the reservoir I, was removed from the liquid air. After allowing the apparatus to reach room temperature, about 20° C, and making certain that no nitrogen peroxide had condensed in the gas chamber, the reservoir L was sealed off at M.

In the adjustment of the appay to form stationary sound waves, the sounding tube, cla d at D, was rubbed between C and D with ether-moistened cotton wool. The length of the gas column in the inner tube BG was then altered by gentle tapping until well-defined hcaps were formed.

After this preliminary adjustment the gas cylinder was placed in a thermostat at 22° C. For easy removal of the apparatus this consisted of a water tank, kept at 22° C \pm 0.05, through which a cylinder about 8 cm in diameter ran longitudinally. When the apparatus had been supported by brass clips in this cylouder the openings were closed with loosely packed cotton wool. The temperature of the sir-bath so formed reached that of the water tank about an hour after the apparatus had been inserted, and remained at 22° C = 0.1throughout an experiment.

To secure the necessary rigidity the clamp for damping the sounding tube at the point C was imbedded in a heavy concrete block. A layer of cork fastened to the glass with

adhesive 'ape and fish glue prevented the tube from slipping through the clamp.

When the temperature of the air-bath had become 33° C the sounding tube was clamped at C and set into vibration as before. Then the apparatus was removed from the thermostat and the dust-heaps were measured to 0.5 mm. The readings were averaged by the method proposed by Kundt.¹ Repetitions of this procedure gave a series of readings as checks on the measurement.

The wave length in air, λ_1 , was obtained at the same time by inserting the end A of the sounding tube into a glass tube about 3 cm diameter and 50 cm long, containing precipitated silica. The temperature of the air was determined by two thermometers at either end of the tube and the dust heaps were measured as in the gas cylinder.

When a sufficient number of readings had been made, the capillary containing the water was broken. To insure distribution of the moisture throughout the nitrogen peroxide the gas cylinder was heated and cooled several times and the inner tube BG moved backwards and forwards. The gas cylinder was then left in the thermostat for twenty-four hours. With the nitrogen peroxide now definitely known to contain water vapor another wave-length measurement was made.

To determine the weight of nitrogen peroxide in the gas cylinder, the bulb K was immersed in liquid air until no color could be distinguished by looking longitudinally through RD. After the bulb was sealed off at E and dried, it was placed in a desiccator for half an hour and was then weighed. Both the bulb and a standardized solution of potassium permanganate were cooled in ice and then the top of the bulb was broken and held under the solution. In this way all the nitrogen peroxide was absorbed by the potassium permanganate. (No odor of the gas was distinguishable above the solution.) The permanganate reduced by the nitrous acid was determined by titrating with freshly standardized ferrous, sulphate solution.

¹ Pogg. Ann., 127, 497 (1866).

The weight of nitrogen peroxide in the bulb was thus determined.

The weight was also determined directly by weighing the dried bulb and broken tip. A satisfactory check between the two methods served to establish the purity of the nitrogen peroxide.

Finally the volume of the gas cylinder was determined by weighing it empty and filled with water.

Length of waves in nitrogen peroxide at 22 °C Length of waves in air at 19.0 °C

The complete results of the experiments are given below.

Expt. No.	Dry or moist	In cms.	Exp. No.	In cms.
E4 E9 E10 E12 E13 E13	Dry Dry Dry Dry Dry Dry Dry	1.440 1.440 1.436 1.455 1.442 1.436	Eı Ez	2.659 2.669 Average, 2.664
E16	Moist	Average, 1.441 1.4421		

Weight of Nitrogen Peroxide in Bulb.

(a) By titration:

No. cc pot. permang. (0.2874N) = 202.75 cc. No. cc ferrous sulplate (0.1686N) = 137.60 cc. Net pot. permang. = 122.01 cc. Weight nit. peroxide = 1.6129 gm.

(b) By direct weighing:

Wt. of bulb + nit. peroxide + 0.0012 gm. water = 7.4318 gm. Wt. of opened bulb + pieces (empty) = 5.7976 gm.

Wt. of water = 0.0012 gm.

Wt. of nit. peroxide = 1.6330 gm.

The average value 1.623 grams was used in the calculation.

¹ The sounding tube was accidentally broken while another "moist" measurement was in progress. As the dust heaps in E16 were well defined it was thought unnecessary to make further experiments.

Volume of Gas Chamber.

Wt. of tube + bulb empty = 480.5 gm. Wt. of tube + bulb full of water at 19.5° C = 1036.0 gm. Volume = 556.5 cc.

The values $\left(\frac{d\rho}{dp}\right)_{\rm A}$, $\left(\frac{d\rho}{dp}\right)_{\rm B}$ and $\left(\frac{d\rho}{dp}\right)_{\rm exp.}$ were calculated as already explained.

 $\frac{d}{dp} = \begin{pmatrix} \frac{d}{dp} \\ \frac{d}{dp} \end{pmatrix}_{A}^{\times 10^{6}} \begin{pmatrix} \frac{d}{dp} \\ \frac{d}{dp} \end{pmatrix}_{B}^{\times 10^{6}} \begin{pmatrix} \frac{d}{dp} \\ \frac{d}{dp} \end{pmatrix}_{exp.}^{\times 10^{6}}$ 22.0° C 2.722 679.9 mm 4.002 3.629 3.873 It is seen that the experimental value agrees with $\begin{pmatrix} \frac{d}{dp} \\ \frac{d}{dp} \end{pmatrix}_{A}$ within 3 percent. This is probably within the limits of the experimental errors. On the other hand, it differs by more than 6 percent from the value $\left(\frac{d\rho}{dp}\right)_{B}$. This is in accord with the results calculated from Natarson's measurements. It can be concluded, therefore, that the rate of reaction even in the dry gas does not correspond to Assumption B.

Summary of Conclusions

1. The rate of reaction between nitrogen tetroxide and nitrogen dioxide is so great that there is no appreciable lag in the reaction during the rapid changes of pressure caused by stationary sound waves in nitrogen peroxide.

2. Conclusion 1 holds both for nitrogen peroxide dried over phosphorus pentoxide and for the gas containing 0.32 volume percent of water vapor

3. It is impracticable to use measurements of sound ve-

locity for determining $\frac{c_p}{c_p}$ for nitrogen peroxide.

This research was carried out at the suggestion and under the direction of Dr. F. B. Kenrick. The experimental work was completed at the University of California.

University of Toronto University of California January, 1914

