HYSSOPUS, L. Hyssop.

1762. II. officinalis, L. (Garden Hyssop.)

Introduced—Richmond Road. Dalhousie Square. The white-flowered form abundant. The purple-flowered scarce. A perennial herb with simple branches, linear, entire leaves, and the flowers which are in clusters forming crowded spikes. July-1.

SATUREIA, L. Savory.

1767. S. hortensis, L. (Summer Savory.)

Introduced. Frequently found on waste heaps and road sides.

CALAMINTHA, Monch. Calamint.

1770. C. CLINOPODIUM, Benth. (Basil.)

Rocky woods and fields. Common. June. (B)

HEDEOMA, Pers. (Pennyroyal.)

1772. H. PULEGIOIDES.

Rich wood Billings Bridge. Very rare. A slender erect herb, strongly scented. July-1.

LOPHANTHUS, Benth. Giant Hyssop.

1779 L. NEPETOIDES, Benth.

River bank at Casselman. Aug.—2. A tall, smooth perennial, with a sharply 4-angled stem bearing petioled coarsely crenate-toothed leaves and long terminal spikes of greenish yellow flowers.

NEPETA, L. Cat-mint.

1782. N. Cataria, L. (Catnip.)

Introduced, but common everywhere. July--2. (B)

1783. N. Glechoma, Benth. (Ground Ivy.)

A garden escape. Occasionally found by waysides. Stewarton. Hintonburgh. Aylmer. Aug.--1.

DRACOUEPHALUM, L. Dragon-head.

1784. D. PARVIFLORUM, Nutt.

Rocky woods; particularly after fives have run through them.

June-1.