to Leipsic, a well-known mart for fure, where they are disposed of during the great fair in that city, and distributed to every part of the continent.

nk

int

ng

111

the

the

111-

we,

ert,

ork,

my,

whit

ains

and

are

and

it to

the

ley's

the

o the

rests.

1886,

f the

d for

son's

ence

York

goes

h the

idon.

irgh 1

wool.

orted

from

sent

The United States import from South America, tutria, vicunia, chinchilla, and a few deer skins; also fur seals from the Lobos Islands, off the river Plate. A quantity of beaver, otter, &c., are brought annually from Santa F6. Dressed furs for edgings, linings, caps, mufls, &c., such as squirrel, genet, fitch skins, and blue rabbit, are received from the north of Europe; also coney and hare's fur; but the largest importations are from London, where is concentrated nearly the whole of the North American fur trade.

Such is the present state of the fur trade, by which it will appear that the extended sway of the Hudson's Bay Company, and its monopoly of the region of which Astoria was the key, has operated to turn the main current of this opulent trade into the coffers of Great Britain, and to render London the emporium instead of New-York, as Mr. Astor had intended.

We will subjoin a few observations on the animals sought after in this traffic, extracted from the same intelligent source with the preceding remarks.

Of the fur-bearing animals, "the precious ermine," so called by way of pre-eminence, is found, of the best quality, only in the cold regions of Europe and Asia.* Its fur is of the most perfect whiteness, except the tip of its tail, which is of a brilliant shining black. With these black tips tacked on the skins, they are beautifully spatted, producing an effect often imitated, but never equalled in other furs. The ermine is of the genus mustels, (weasel,) and resembles the common weasel in its form; is from fourteen to sixteen inches from the tip of the nose to the end of the tail. The body is from ten to twelve inches long. It lives in hollow trees, river banks, and especially in beech forests; preys on small birds, is very shy, sleeping during the day, and employing the night in search of food. The fur of the older animals is preferred to the younger. It is taken by snares and traps, and sometimes shot with blunt arrows. Attempts have been made to domesticate it; but it is extremely wild, and has been found untameable.

The sable can scarcely be called second to the ermine. It is a native of northern Europe and Siberia, and is also of the genus mustels. In Samoieds, Yakutak, Kamschatka, and Russian Lapland, it is found of the richest quality, and darkest color. In its habits, it resembles the ermine. It preys on small squirrels and birds, sleeps by day, and prowls for food during the night. It is so like the marten in every particular except its size, and the dark shade of its color, that naturalists have not decided whether it is the richest and finest of the marten tribe, or a variety of that species.† It varies in dimensions from eighteen to twenty inches.

An animal called the stoat, a kind of ermine, is said to be found in North America, but very inferior to the European and Asiatic.

[†] The finest far and the darkest color are most esteemed; and whether the difference arises from the age of the animal, or from some populiarity of location, is not known. They do not vary more from the common marten than the Arabian horse from the shaggy Canadian.