

The Codfish, habits vary with variation in marine climate within certain limits, 224.
 Limits of temperature between which Cod spawn, 225.
 Home of the Cod, 243.
 Not always bottom feeders, 252.
 Geographical limits of the Cod, 254.
 First appear at Natasquashin on the north shore of the Gulf in the Spring, 263.
 Schooling of, 474.
 Cod-fishing, possible to destroy, in certain localities, 45.
 Reasons for probable depletion, 45.
 Pursued in Spring and Autumn off Block Island, 394.
 Cod seining, by the French on the Coast of Newfoundland, 91.

COLD-BLOODED ANIMALS, definition of, 364.
 Diagram showing fluctuation in the Newfoundland codfisheries, 87.
DIATOMS, their relation to fish life, 129.
 Their vast profusion in northern waters, 129.
Eddies, effect of in concentrating food, 64, 67, 333.
 How formed, 331.
FISH, their relation to temperature zones, 34.
 Food, source of the supply of, 45, 347, 352.
 Eggs of, differences in their construction, 74.
 Spawn in mid-water, when their eggs float, 74.
 Position of male and female in the act of spawning, 74.
 Young and old fish go into different zones of temperature in the winter, 82.
 Method of finding the depth at which they are feeding or moving, 121.
Fish, telegraph, 329.
 Fishes, southern, brought off Halifax by the summer swing of the Gulf Stream, 41.
Floe-ice, (see 'Ice,')
FRENCH the, how they pursue their fisheries on the coast of Newfoundland, 103, 107.
 Tonnage of their vessels, 105.
 Effect of a stoppage in the supply of bait upon their fisheries, 139.
 Quantity of bait they obtain from Newfoundland, 139.
 Value they put on their fisheries, 140.
 Character of the vessels they employ, 142.
 The Desfileurs, 143.
 Dory fishing, 144.
 Seine inshore, 133.
 Fluctuations of the French fishery on the Grand Banks, 406.
 Dependence of the fluctuations on the temperature of the month of April, 407.

FRENCH FISHERIES ON THE NEWFOUNDLAND COAST.
 Tables referring to, at close of evidence:—
 No. I. Statistics of the French fisheries on the Grand Banks, and the north-east coast of Newfoundland, during successive periods from 1826 to 1856.
 No. II. Statistics of the French fisheries on the Great Banks of Newfoundland, and on the north-east coast.
 No. III. Statistics of the French fisheries on the north-east coast of Newfoundland from Cape Norman to Cape St. John.
 No. IV. Statistics of French fisheries on the Great Bank of Newfoundland from 1860 to 1867.
 No. V. Statistics of the French fisheries in the Gulf of St. Lawrence.

George's Shoals, cause of the low temperature of, 16.
 Arctic current impinges on the, 37.
 Decrease of halibut on, 47.
 Decrease of cod on, 48.
 Successive variations of temperature on, 231.

Grand Banks, temperature of in February, 234.
 Greenland, Cod Banks, abundance of life on, 46.

GULF OF ST. LAWRENCE—
 Temperature zones in, 15.
 Overlapping tides in, 16.
 Depth of the, 18.
 The sixty fathom line of soundings in the, 409.
 Garry (oscul), effect of, 71.

ESTUARY OF THE ST. LAWRENCE—Confluent flood and ebb, flood tides in, 16.

GULF STREAM—Its influence upon the coast of the United States, 39.
 Temperature of the, 30.
 Summer swing of the, 41.
 Halibut, its decrease on George's Shoals, 47.
 Its habits, 48.
 Depth at which they are taken, 306.
 Will be found around the Gulf of Maine, 306.
 Fisher on the coast of the U. S. in a state of deterioration, 304.
 Desire of the Americans to pursue the halibut fishery on the "French Shore" of Newfoundland, 310.
 Result of Negotiations, 317.

Herring, its spawning grounds, 76, 79.
 Depth of water in which it spawns, 78.
 Peculiar odour of, during the spawning season, 81.
 Relation of the old herring to the cod, 81.
 Where the large herring winter, 81.
 Where the small winter, 81, 82.

Ice—Different forms of, 119.
 How they affect the fisheries, 119, 124.
 Icebergs, salt water or floe ice, and anchor ice, 119.
 Floe ice, temperature of, 119.
 Produces cold zones in the ocean, 119.
 Anchor ice, how formed, 121.
 Effect of, 121.

KELLY, Dr., his elaboration of Admiral Bayfield's discovery of temperature zones in the Gulf of St. Lawrence, 15.

LABRADOR, summer life in the seas of, 45.
 Banks off the Northern, 127.
 Area occupied by the banks, 128.

LAWRENCE—effect of tidal waves on the movements of the, 20; 21.
 Food of the mackerel, 25.
 Spawns on the Grand Banks, 78.
 Relation of to the mackerel, 421..

MACKEREL—
 Its hibernating habits in mud and sand, 8, 11, 467.
 Not a migratory fish, 8.
 Peculiar haunts of, 32.
 Relation to temperature zones, 34.
 Effect of "troll-bait" on, 34.
 Inshore or offshore movements dependent upon temperature, 35, 36, 390.
 Film over the eye in winter, 8.
 Object of the film is to protect the eye from parasites, *Lepid*, 8.
 Movements of, illustrated by charts, 66.
 Time when they appear at the Magdalen Islands, 114.
 Temperature suitable to the, 12.
 In Notre Dame Bay (Newfoundland).
 Found inshore on the United States coast in Spring and Fall, when the waters are cold, 274.
 Retire during Summer to colder zones, offshore, 291.
 Do not cross many isothermal lines, 296.
 Spawning areas of the, 12, 16, 37, 38, 385, 415.
 How the movements of are affected, 340.
 Taken on Banks off the United States coast where the Arctic current impinges, 404.
 Times of their appearance and disappearance in the Gulf, 424.
 Food of the, 25, 129.
 Quantity taken in the different Provinces, 444.
 Mackerel Fishery can become more certain in the Gulf, 266.
 How the result may be produced, 268, 321.
 Americans pursue only the summer mackerel fishery in the Gulf, 271.
 A fluctuating fishery, 300.
 Future prospects of 434.
 Great development of on the coast of Nova Scotia, 449.
 Manufactories affect river fish, and thus indirectly sea fish, 70.

MARINE LIFE—Similarity of life on certain parts of the United States coasts and the coasts of the Dominion where the Arctic current prevails, 422.

Massachusetts Bay, affected by the Gulf Stream, 39.
 Lowest temperature in February, 238.

NEWFOUNDLAND, codfisheries, development and character of the Inshore, 85, 132.
 On the South coast, 216.