

EGION

1. This  
n locali-  
ver, To-  
io near  
  
s to be  
'oronto.  
in low

far as  
ntario

Club-  
t rap-

loss).  
es of

loss).  
also

D.C.  
rich

e or  
at

rd.

## FERNS AND FERN ALLIES

7. *Lycopodium tristachyum*, Pursh. A large bed in dry shallow soil found near Port Sydney, Muskoka, Ont.

8. *Lycopodium clavatum*, L. (Common Club-moss), also the variety *monostachyon*, Grev. and Hook, occurs in several localities northward. Species reported rare in one locality, Peel Co. (White).

### SELAGINELLACEAE.

1. *Selaginella rupestris*, Spring. Common in several localities throughout Ontario on dry rocks.

2. *Selaginella apus*, Spring. This species also occurs locally throughout Ontario, in damp grass, often along the borders of lakes.

### ISOETACEAE.

1. *Isoetes echinospora* var. *braunii*, Engelm. (Braun's Quillwort). Found in one locality in sandy bottom of lake and river near Port Sydney, Muskoka, and very locally elsewhere in the Archaean district.

---

### REFERENCES.

Gray's New Manual of Botany (Robinson & Fernald), 7th ed.

Britton and Brown. An Illustrated Flora.

Clute. Our Ferns in their Haunts.