

18. *Glycyrrhiza lepidota* (Nutt.) Pursh. Wild Liquorice.—On an island in the Grand River below Galt. A rare plant in Ontario, but plentiful on the western prairies.
19. *Desmodium nudiflorum* (L.) D. C. Naked-flowered Tick-Trefoil.—In dry woods. Frequent.
20. *Desmodium grandeflorum* (Walt.) D. C. Large-flowered Tick-Trefoil.—In dry woods. Common.
21. *Desmodium bracteosum* (Michx.) D. C. Large bracted Tick-Trefoil.—Dry, open woods. Rare.
22. *Desmodium Dillenii*, Darl. Dillen's Tick-Trefoil.—Dry woods. Infrequent.
23. *Desmodium paniculatum* (L.), D. C. Panicked Tick-Trefoil.—Dry woods and copses. Common.
24. *Desmodium canadense* (L.), D. C. Canada Tick-Trefoil.—Open woods and fields. Infrequent.
25. *Desmodium marilandicum* (L.), D. C. Small Tick-Trefoil.—Dry woods. Rare.
26. *Lespedeza frutescens* (L.), Britton. Purple Bush Clover.—Dry open woods. Frequent.
27. *Lespedeza hirta* (L.) Hornem. Hairy Bush Clover.—Dry woods and open places. Infrequent.
28. *Lespedeza capitata*, (Michx.) Common Bush Clover.—Open woods and fields, in dry places. Common.
29. *Vicia sativa*, L. Spring Vetch.—Fields and waste places. Frequent.
30. *Vicia cracea*, L. Tufted Vetch.—Borders of woods and in fields. Infrequent.
31. *Vicia caroliniana*, Walt. Carolina Vetch.—Open woods and clearings. Common.
32. *Vicia americana*, Muhl. American Vetch.—Dry or moist woods. Frequent.
33. *Lathyrus venosus*, Muhl. Veiny Pea.—Open woods and banks. Rare.
34. *Lathyrus ochroleucus*, Hook. Cream Colored Vetchling.—Open woods and clearings. Frequent.