(vii) Varnishing: a process by which a varnish or an adhesive coating is applied to a flexible material for the purpose of later sealing the packaging material;

(i) "Manufacturing of pharmaceutical products" means chemical synthesis, fermentation, extraction, formulation and finishing of pharmaceutical products and, where carried out at the same site, the manufacture of intermediate products;

(j) "Conversion of natural or synthetic rubber" means any process of mixing, crushing, blending, calendering, extruding and vulcanization of natural or synthetic rubber and additionally processes for the processing of natural or synthetic rubber to derive an end product;

(k) "Surface cleaning" means any process except dry cleaning using organic solvents to remove contamination from the surface of material, including degreasing; a cleaning process consisting of more than one step before or after any other processing step is considered as one surface-cleaning process. The process refers to the cleaning of the surface of products and not to the cleaning of process equipment;

(1) "Extraction of vegetable oil and animal fat and refining of vegetable oil" means the extraction of vegetable oil from seeds and other vegetable matter, the processing of dry residues to produce animal feed, and the purification of fats and vegetable oils derived from seeds, vegetable matter and/or animal matter;

(m) "Vehicle refinishing" means any industrial or commercial coating activity and associated degreasing activities performing:

- (i) The coating of road vehicles, or part of them, carried out as part of vehicle repair, conservation or decoration outside manufacturing installations, or
- (ii) The original coating of road vehicles, or part of them, with refinishingtype materials, where this is carried out away from the original manufacturing line, or
- (iii) The coating of trailers (including semi-trailers);

(n) "Impregnation of wooden surfaces" means any process impregnating timber with preservative;

(o) "Standard conditions" means a temperature of 273.15 K and a pressure of 101.3 kPa;

(p) "NMVOCs" comprise all organic compounds except methane which at 273.15 K show a vapour pressure of at least 0.01 kPa or which show a comparable volatility under the given application conditions;