Family XXII.-Mellinidæ.

59. Mellinus bimaculatus, Pack A neat little insect which seems to be rare here as elsewhere. One male taken many years ago on Aug. 6 and one female Aug. 5, 1894; the latter was dead in a spider's web, but quite fresh and perfect.

Family XXIII.-Nyssonidæ.

Subfamily I .- Gorytinæ.

- Pseudoplisus phaleratus, Say. A handsome species with clouded wings and conspicuous yellow markings on body and legs;
 females, 9 males.
- Hoplisus canaliculatus, Pack. Wings and markings paler; 3 females, 4 males.
- Hoplisus simillimus, Smith. Very similar in appearance; I female, 3 males.
- 63. Hoplisoides nebulosus, Pack. Rare; 1 female, 2 males. Gorytes armatus, Prov., and Philanthus Harringtonii, Prov., described from Ottawa specimens, appear from the descriptions to be males of the same species.
- 64. Gorytes nigrifrons, Smith (?) One female taken near Hull on Aug. 5, 1894, is referred to this species with a little uncertainty.

Subfamily II .- Alysonina.

- 65. Didineis texana, Cr. One female taken at Aylmer Sept. 10, 1893. Its capture was quite accidental, for it settled on the ground near me as I sat by the roadside watching a couple of Sphaeropthalma candensis, Blake, wandering around.
- 66. Alyson Guignardii, Prov. One female, two males.
- Alyson conicus, Prov. The types of this and of the preceding species were collected by Mr. Guignard. Three females, one male.
- 68. Alyson melleus, Say. A pretty pale species; 1 female.
- 69. Alyson triangulifer, Prov. One female, one male.
- Alyson oppositus, Say. This appears to be the commonest species; 6 females, 2 males.

Subfamily III .- Nyssoninæ.

- Nysson lateralis, Pack. A stout black insect with white spots on abdomen; 1 female, 3 males.
- 72. Brachystegus nigripes, Prov. I have received from Mr. Guignard, who collected the type, a male, and also under the name Nysson rusticus, Cress, a female, which, although it has the