

Boring in trees.

Under bark of trunks some distance from the base or in the branches :

Maple.....	<i>Sesia acerini.</i>
Maple.....	" <i>corni.</i>
Apple, Pear.....	" <i>pyri.</i>
Dogwood, Oak, Chestnut.....	" <i>scitula.</i>
Alder.....	" <i>Americana.</i>
Cherry, Plum, Juneberry.....	" <i>pictipes.</i>
Pine, Redwood (<i>Sequoia</i>).....	<i>Vespamina sequoia.</i>
Pine and Spruce.....	<i>Parharmonia pini.</i>

Under bark at base of trunk or main roots :

Peach, Cherry, Plum, Apricot, etc.....	<i>Sanninoidea exitiosa.</i>
Peach and Cherry.....	" <i>opalescens.</i>
Peach, Cherry.....	" <i>Graefii.</i>

In solid wood of trunks :

Ash.....	<i>Podosesia syringæ.</i>
Ash.....	" <i>fraxini.</i>
Oak.....	<i>Memythrus simulans.</i>
Cottonwood.....	<i>Egeria pacifica.</i>
Cottonwood and Locust.....	<i>Memythrus robinia.</i>
Poplar.....	" <i>Dollii.</i>
Willow and Poplar.....	" <i>tricinctus.</i>
Willow.....	<i>Sesia Bolteri.</i>
Willow.....	" <i>albicornis.</i>

In solid wood at base of trunks and roots of trees :

Persimmon.....	<i>Sannina uroceriformis.</i>
Willow and Poplar.....	<i>Egeria apiformis.</i>
Willow.....	" <i>tibialis.</i>
Ash, Alder.....	<i>Memythrus asilipennis.</i>

Boring in shrubs.

In solid wood :

Lilac.....	<i>Podosesia syringæ.</i>
------------	---------------------------

In pith of stems :

Currant, Gooseberry.....	<i>Sesia tipuliformis.</i>
--------------------------	----------------------------

In roots :

Blackberry and Raspberry.....	<i>Sesia rutilans.</i>
Blackberry and Raspberry.....	<i>Bembecia marginata.</i>
Sumac.....	<i>Melittia gloriosa.</i>