

3. At least the hind tibia partly or entirely yellowish testaceous; mid tibia without an anteroventral bristle; hind tibia with 2 posterodorsal bristles..... *divisa* Meigen.
All tibiae black; mid tibia with an anteroventral bristle; hind tibia with 3 or more posteroventral bristles..... 4.
- All tibiae black or fuscous; mid tibia with an anteroventral bristle; hind tibia with 2 posterodorsal bristles..... *proxima* Malloch.
4. Dorsum of thorax and abdomen slightly blue-gray pruinulent; longest hairs on arista much shorter than width of third antennal segment; mid tibia with one anterodorsal bristle..... *arctica* Malloch.
Dorsum of thorax and abdomen densely pale gray pruinulent; longest hairs on arista at least as long as width of third antennal segment mid tibia with 2 anterodorsal bristles..... *polita* Malloch.
5. Legs brown or dull yellowish, not deep black; basal dorsal abdominal segment largely yellowish testaceous on each side; hind tibia with 2 posterodorsal bristles; longest hairs on arista distinctly longer than width of third antennal segment; small species, not over 5 mm. in length..... *subpellucens* Malloch.
Legs deep black; abdomen not yellowish at base; hind tibia with 3 or more bristles on posterodorsal surface, the basal one sometimes very weak... 6.
6. Hind femur with several long hair-like bristles at base on posteroventral surface..... 7.
Hind femur with one bristle at base on posteroventral surface..... 11.
7. Costal thorns both small, sometimes barely distinguishable from the adjacent setulae, never as long as the inner cross-vein; parafacial in profile conspicuously narrowed below, not nearly as wide as third antennal segment at lower margin of eye..... *uniformis* Malloch.
At least one of the costal thorns long and conspicuous, sometimes as long as the inner cross-vein; parafacial in profile but little narrowed below, as wide as third antennal segment for nearly its entire length..... 8.
8. Hairs on arista not longer than its basal diameter; mid tibia with 2 anteroventral bristles; spines on apical genital segment short and strong, 12-14 in number; hind tibia with one or more posterior setulae..... *alaskensis*, sp. n.
Hairs on arista much longer than its basal diameter; mid tibia with 1 anteroventral bristle..... 9.
9. Thorax with two or three pairs of weak acrostichals and some hairs in front of suture; genital segment similar to that of *alaskensis*..... *seticauda* Malloch.
Thorax with central area in front of suture with 4 or 6 series of weak hairs..... 10.
10. Apical genital segment with about a dozen short, strong spines; hind tibia with 4 posterodorsal bristles..... *borealis* Malloch.
Apical genital segment with 2 fine, short bristles and some hairs; hind tibia with two or three posterodorsal bristles..... *flavohalterata* Malloch.
11. Mid tibia with one or more short bristles immediately basad of the antero-dorsal one; thorax with two or three pairs of presutural acrostichals..... *elongata* Malloch.