MELANDRYIDÆ.

Penthe obliquata (Fabr.) Three under a log, 27th April. B. la F. MORDELLIDÆ.

Rhipiphorus pectinatus (Fabr.) One on leaves of a wayside herb, 11th May. B. la F.

MELOIDÆ.

*Epicauta vittata (Fab.) One running on the ground, 1st May. B. la F.

Tanymecus confertus Gyll. Two, B. la F.

Eudiagogus rosenschoeldi Fahrs. Two, one taken crawling on the ground by a road-side, 11th May, B. la F.; the other from N. O.

CURCULIONIDÆ.

- Listronotus tuberosus Lec. Quite a number of this species taken clinging on the under side of railroad ties lying on the ground not in use, or pieces of wood in dry places, in company with the three following, first part of April. Milnburg Road.
 - callosus Lec. With preceding, plentiful.
 - nebulosus Lec. With two preceding, quite numerous.
 - " frontalis Lec. A number with the three preceding.

Macrops delumbis (Gyll.) One or two with Listronotus.

Eudocimus mannerheimii Boh. One pair in coitu taken in the flooded forest on a pine or cypress stump, over a mile back of the levee, 6th June. They were lying under a chip in a crevice on the top of the newly-cut stump. B. la F.

Lixus terminalis Lec. Two taken on stems of weeds, 27th April and 25th May. B. la F.

Lissorhoptrus simplex (Say). Several attracted to lamp in the evening, 14th and 23rd May. B. la F.

Conotrachelus cribricollis (Say). One, B. la F.

Chalcodermus aencus Boh. Abundant on stems of elder along ditches on plantations, also taken on some young sprouts of cottonwood or poplar. B. la F.

Baris nitida Lec. One, B. la F.

*Unknown Rhyncophor. Larvæ taken, 18th April, from tamarind seeds found strewn over the planks of the "levee" at New Orleans, where the Central American and Mexican steamers come in.

One seed contained six or eight small, white larvæ, nearly spherical. At same time some of the larvæ were found in