

MILK.

Inspector's Report. (Is not an expression of opinion).	Results of Analysis.						No. of Sample.	Remarks and Opinion of the Chief Analyst.
	Sp. Gr. at 20° C.	Total Solids.	Fat.	Non-fat Solids.	H. ²	Cleanliness.		

E. J. MORGAN, INSPECTOR.

		p. c.	p. c.	p. c.				
.....	1-0312	12.31	3.61	8.73	55285	Genuine.
.....	1-0295	11.42	3.23	8.19	40.0	55286	Non-fat solids low. Doubtful.
.....	1-6327	12.21	2.92	9.29	55287	Fat slightly low. Pass as doubtful.
.....	1-0317	13.50	4.33	9.17	55288	Genuine.
.....	1-0313	12.90	3.86	9.04	55289	"
.....	1-0296	13.13	4.35	8.78	55290	"
.....	1-0327	14.24	4.58	9.66	55291	"
.....	1-0315	13.00	3.83	9.17	55292	"
.....	1-0302	11.71	3.57	8.14	10.2	55293	Non-fat solids low. Doubtful.
.....	1-0325	12.68	3.71	8.97	55294	Genuine.

D. O'SULLIVAN, INSPECTOR.

.....	1-0257	18.29	9.85	8.44	66701	Genuine.
.....	1-0334	11.50	2.48	9.02	42.0	66702	Fat low. Adulterated.
.....	1-0315	12.76	3.89	8.87	66703	Genuine.
.....	1-0277	14.33	5.96	8.37	66704	"
.....	1-0323	12.70	3.91	8.79	66705	"
.....	1-0306	12.71	3.99	8.72	66706	"
.....	1-0280	10.49	2.67	7.82	38.3	66707	Solids too low. Adulterated.
.....	1-0301	11.76	3.28	8.42	11.1	66708	Genuine.
.....	1-0316	12.40	3.68	8.72	41.5	66709	"

Immersion Refractometer reading on Milk Serum at 20° C.