

BUTTER.

Inspector's Report. (Is not an expression of opinion).	RESULTS OF ANALYSIS.				No. of Sample.	Remarks and Opinion of the Chief Analyst.
	Moisture.	Salt.	Buero refractometer, reading at 40°C.	Dry Saltless Butter.		

Continued.

	p. c.	p. c.		p. c.		
Paul, M	11.14	3.78	43.0	85.08	43490	Genuine
.....	8.32	1.14	43.7	90.54	43491	"
.....	10.94	3.10	42.7	85.86	43492	"
ipeg,	11.32	4.26	43.4	84.42	43493	"
.....	10.00	2.36	43.6	87.64	43494	"
.....	9.28	2.58	43.5	88.14	43495	"
.....	10.78	3.12	43.3	86.10	43496	"
....., Win-	13.70	3.62	43.4	82.68	43497	"
.....	8.60	3.58	44.0	86.82	43498	"
.....	10.36	2.30	43.9	87.44	43499	"
....., Win-	7.10	0.92	43.0	91.98	43500	"

R. W. FLETCHER, INSPECTOR.

Alberta.	13.48	2.80	43.7	83.72	43756	Genuine.
.....	6.88	1.54	43.3	91.58	43757	"
Alta ...	7.76	0.92	43.6	91.32	43758	"
lgary ..	10.22	1.90	43.4	87.88	43759	"
Alta....	9.96	2.02	43.2	88.02	43760	"
g, Alta.	7.10	1.12	41.9	91.78	43761	"
iamond,	11.14	3.40	43.1	85.46	43762	"
Alta...	12.42	5.20	43.1	82.38	43763	"
gary....	10.40	0.60	42.8	89.00	43764	"
Ponoka,	10.88	2.38	43.2	86.74	43765	"
d., Cal-	11.46	3.06	43.3	85.48	43766	"
Alta....	12.80	0.48	43.1	86.72	43767	"
.lta	10.58	1.86	43.4	87.56	43768	"
Dickson,	11.68	1.14	43.3	87.18	43769	"
ta.....	9.22	5.16	43.5	85.62	43770	"