Attention should be called to the fact that Stictiella exigua Mickel, o' (Trans. Amer. Ent. Soc., XLII, p. 419) is the same as divergens. However, Mr. Parker has assigned another male to exigua in his monograph. Biological evidence is needed to show which of these is really the male of exigua and to determine the status of the name divergens.

Genus BICYRTES Lepeletier.

Bicyrtes fodiens (Handlirsch).

Specimens examined: 1 ♀, 1 ♂. Louisville, 1; Meadow, 1. July.

Bicyrtes ventralis (Say).

Specimens examined: 12 ♀'s, 31 ♂'s, Nebraska City, 1; Omaha, 8; South Bend, 3; Lincoln, 2; Cedar Bluffs, 2; Neligh, 1; Carns, 3; Halsey, 1; Mitchell, 12; Gordon, 1; Glen, 8; Monroe Canyon, 1; Warbonnet Canyon, 1. June 25 to September 27. Bicyrtes quadrifasciata (Say).

Specimens examined: 9 9's, 16 o's. Omaha, 14; Louisville, 8; South Bend, 1; Meadow, 1; Haigler, 1. July 4 to September 12. Bicyrtes capnoptera (Handlirsch).

Specimens examined: 5 9's, 2 o7's. Mitchell, 7. July 20 to September 4.

Genus BEMBIX Fabricius.

Bembix arcuata Parker.

Specimens examined: 3 ♂'s. Meadow, 3. July.

Bembix nubilipennis Cresson.

Specimens examined: 31 ♀'s, 5 ♂'s. Omaha, 5; Louisville, 3; Lincoln, 23; Fairmont, 2; Holdrege, 1; Culbertson, 1. July 9 to September 8.

Bembix sayi Cresson.

Specimens examined: 8 ♀'s, 19 ♂'s. Lincoln, 3; Fairmont, 1; Haigler, 2; Imperial, 4; North Platte, 1; Halsey, 1; Mitchell, 15. June 22 to August 17.

Bembix belfragei Cresson.

Specimens examined: 3 ♀'s, 3 ♂'s. Omaha, 1; West Point, 1; McCook, 2; Haigler, 1; Halsey, 1. June to August.

Bembix spinolæ Lepeletier.

Specimens examined: 219 ♀'s. Child's Point, 2; Omaha, 47; Louisville, 19; Lincoln, 16; Fairmont, 7; Cedar Bluffs, 1; South