- 22. Fiber osoyosensis. Pacific Muskrat. Common.
- 23. Zapus trionotus. Western Jumping Mouse. Found in suitable localities from sea level to 7,000 feet. Most abundant on the mountain tops.
- 24. Erithizon epixanthus. Western Porcupine. Very scarce.
- 25. Lagomys minimus. Least Pika.
 Mr. Bangs has re-instated Lord's species from specimens I sent him taken near the type locality. Found in nearly all rock-slides from 100 feet to summits of highest peaks.
- 26. Iepus washingtoni. Washington Hare. Common in the bottom lands.
- 27. Lepus columbiensis. Columbian Varying Hare.

 This is one of the only mammals that are found in this locality I have never succeeded in taking specimens of. The hares north of the Fraser and in the mountains all turn white.
- 28. Felis oregonensis. Pacific Cougar. Not uncommon and very destructive to both game and stock. In some localities they have about exterminated the deer. I have then noticed the bones and teeth of Aplodontia in their dung. The young ones are handsomely spotted, differing in this respect from the form found east of the Cascades.
- Lynx canadensis. Canada Lynx.
 Now very scarce, used to be not uncommon.
- Lynx fasciatus. Coast Wildcat.
 Not uncommon, used to be abundant.
- Canis occidentalis. Wolf.
 Very scarce, both the black and gray forms occur.
- Canis latrans. Coyote.
 Coyotes of late years have made their appearance in the Chilliwack Valley.
- 33. Vulpes vulpes. Red Fox. I have heard one or two reports of foxes, and saw the remains of a red one that was killed at Pitt meadows.
- 34. Ursus horribilis. Grizzly Bear.
 Found in the mountains only. I saw one shot near Summit Lake, of an almost uniform drab gray, almost white.
- 35. Ursus americanus. Black Bear.
 Once abundant but getting scarcer—still does great damage to raisers of hogs. Both black and "cinnamon" forms occur and intergrade.