of Diatrea saccharalis in growing stalks of corn on College farm, the burrows containing dead chrysalids of the Diatrea. Adult beetles of this species were found in numbers with them in the burrows. July 16th, 1891. Large numbers of the beetles found in sheaths of sorghum infested with aphides, on College farm.

Oxacis pallida, Lec-Winslow, Arizona, July 19th to 20th; two.

Myodites scaber, Lec.—Chaves, N. M., August 6th, 1892; two.*

Ophryastes tuberosus, Lec.—Grant County, N. M. (W. J. H.), one. A chunky grayish weevil, with prothorax warted on outer edges.

Eupagoderes decipiens, Lec.—Grand Canon, Arizona. Hance trail. July 11th, 1892; one.*

Eupagoderes descrtus, Horn.—Winslow, Arizona, June 29th, 1892. A pair in coitu. The antennæ of both were infested with a small red mite. Large whitish gray rhynchophor. On plant No. 290, N. Mex. Coliege Herbarium.*

Cyphus lautus, Lec.—Grand Canon, Arizona. Hance trail, near rim of canon, July 12th, 1892; one. A small grayish curculionid.*

Otiorhynchia gen. et. sp. ?.—Continental Divide, Tenaja, N. M., August 2nd, 1892; one.

Sitones californicus, Fah.- Las Cruces, N. M.; one.

Anthonomus canus, Lec.—. pache Spring, Socorro County, N. M. A small grayish weevil. Bred from galls of Eurosta bigeleviæ on Bigelovia graveoleus collected June 21st, 1892. (See Can. Ent.; 1893, p. 52.)

Tychius sectosus, Lec.—Las Cruces, N. M. A single specimen beaten from mesquite (P. juliflora), three miles south of Mesilla, May 16th, ;Sg1. This is a minute rhynchophor.

Scyphophorus acupunctatus, Gyll.—Grant County, N. M. (W. J. H.); one.

Rhodobaenus pustulosus, Gyll.—Grant County, N. M. (W. J. H.); one. Much resembles 13-punctatus. Brick-reddish in colour.