LESQUERELLA OCCIDENTALIS, Wat.

Dry slopes Osoyoos Valley, B.C., 1898. (C. de B. Green.) New to Canada.

VIOLA SUBCORDATA, Greene, Pittonia, vol. 111, page 316.

Open or partly open land, Esquimault, Vancouver Island, 6th June, 1896. Herb. No. 18,708. (J. R. Anderson.) A beautiful species nearly related to V. Howellii. Known only from the above locality.

VIOLA SUBVESTITA, Greene.

On the cliff below Governor's Bay, Ottawa, Ont., 1899. (J. M. Macoun.)

VIOLA SAGITTATA, Ait.

We have no true *V. sagittata* in Canada, at least none of the specimens in our herbarium are referable to that species. All specimens so named are either *V. ovata*, Nutt, or *V. dentata*, Pursh. which may, however, yet prove to be one species.

V. OVATA, Nutt.

V. sagittata, Macoun, Cat. Can. Plants, vol. 1, p. 63 in part.
Our herbarium specimens are from dry fields east of Belleville,
Ont. (John Macoun.) Near Hamilton, Ont. (J. M. Dickson.)
Strathroy and woods about London, Ont. (J. Dearness.)

V. DENTATA, Pursh.

V. sagittata, Macoun, Cat. Can. Plants, vol. 1, p. 63, in part and vol. 1, p. 492.

Prince Edward Island. (L. W. Watson.) Point Pleasant, N. S. (John Macoun.) London, Ont. (Dr. Millman.) Komoka, Ont. and London, Ont (J. Dearness.) Port Flamboro, Ont. (J. M. Dickson.) Though kept separate here it is more than probable that V. ovata and V. dentata are forms of the same species.

VIOLA SEPTENTRIONALIS, Greene, Pittonia, vol. 111, p. 334, and Ott. Nat., vol. x11, p. 183.

Billings' Bush, S. E. of Billings' Bridge, Ottawa, Ont., 1898. Type locality. Herb. No. 18,561. (J. M. Macoun.) St. Catherines, Ont. (W. C. McCalla.)