
THE ANDREWS DRYER

For Lumber, Shingles, Staves, Heading, etc.



A.-Drying-Room. BE-Brass Condensing-Walls. OCC-Lumber Cart. EE-Down Air-Flues. FF-Bottom Air-Flue. BH-laside Walls, protecting metal from heat. LL-Lumber on cart.

NN-Brass Outlers for receiving condensed molature. PPF-Sticks between jumber. 88-Double bleam-Colls. T-Auto matic Steam Fire-Extinguisher. Arrows show direction of currents of air.

THIS DRYER

HAS PROVED TO PURCHASERS TO DO WHAT IS
GUARANTEED IN SAVING
THEM MONEY IN

Freight, Insurance, Time, Interest, Expense, Capital, Yard Room, Labor

There may be persons who do not appreciate the advantages of the artificial drying of lumber. But the shrewd men, in the manfacture of furniture and other woodwork where reputation would be sacrificed by a lack of proper muterial for good gluing and finishing, recognize a good system of drying as an important element of their success. High scientific authorities and thoroughly practical men are now agreed that the hot-blast and rapid-current systems ARE WASTEFUL, and that steam heat is the only safe means for artificial drying. The mode of applying steam heat most efficiently and economically is therefore now the essential point. The Andrews Dryer accomplishes this result more surely than any other known system.

NO FAN NO ENGINE

NO SMOKE NO CHIMNEY

NO SPECIAL FIREMAN

OR FUEL


NO EXPENSIVE BRICKWORK

NO RISK OF FIRE

NO CHECKING OR WARPING

NO CASE-HARDENING

. NO EQUAL . . .



Outside View of the Andrews Progressive Kiln, showing Lumber placed crosswise the building, on cars.

'WE PUT GREEN SPRUCE
IN DRIPPING WITH WATER,
AND IN EIGHTEEN HOURS IT
WAS DRYER THAN LUMBER
THAT HAD BEEN STUCK UP
IN THE YARD ALL SUMMER."


This is the verdict of a Quebec lumber firm, and we can give equal results every time.

The Andrews Lumber Dryer

Has been proved to possess the following points of excellence:

- 1st. That its drying is rapid and perfect.
- znd. That external and internal checking and discoloration are entirely avoided by this method.
- 3rd. That the drying is done by a CONTINUOUS system and the temperature of the kiln is under absolute control at all times.
- 4th. That our Dryer is free from the varying air currents (always wasteful) incident to all fan and open-draft kilns.
- 5th. That our drying is done by the slow continuous movement of a large body of slightly-moistened air.
- 6th. That our condensing surface is so very large as to be adequate to precipitating the moisture of the saturated air with the least amount of movement.
- 7th. That our piping is tested by high pressure and every outfit is fully guaranteed.
- 8th. That by our improved system of drainage the freezing of pipes becomes impossible.

SEND FOR CIRCULARS



DOMINION DRY KILN COMPANY

CANADA LIFE BUILDING :::: TORONTO, ONT.