

TABLE II

DRUG	WEIGHT IN KG.	DATE	PURGATION	DRUG IN STOOL	DRUG IN URINE	REMARKS
Sodium phenolphthalate 1.94 gm. made up to 5 cc.	9.7	2-7				
		2-8	-	-	+	
		2-9	-	-	+	Only on one day 2-13 was there any sugges- tion of a laxative effect.
		2-10	-	+	+	
		2-11	-	+	-	
		2-12	-	+	-	
Disodium salt of phenolphthalein 1.9 gm. in 60 cc.	9.5	2-13	-	-	-	
		2-7				
		2-8	+ slight	+	+	For three days the stools were unformed and very soft and homo- geneous in consistence No local irritation.
		2-9	+	+	+	
		2-10	+	+	+	
		2-11	+	+	+	
		2-12	+	+	+	
		2-13	+ slight	-	+ slight amount	
Disodium salt of phenolphthalein 1.94 gm. in 90 cc.	9.7	2-14	+ slight	-	-	
		2-15	-	-	-	
		2-18				Soft fluctuating swelling on the side 2-19. This partially disappeared in a few days. A defi- nite infiltration present in same area on March 1. Still a trace of drug in stools on March 1.
		2-19	no feces		+	
		2-20	+ slight	+	+	
		2-21	+	+	+	
		2-22	-	+	+	
		2-23	+	+	+	
		2-24	+	+	+	
Phenoltetrachloro- phthalein 1.48 gm. in 90 cc. olive oil	7.4	2-25	no feces		-	
		2-11				
		2-12	-	-		Trace of drug in urine but these were not catheter specimens. Stools were formed but soft in consistence and dark in color during most of this period.
		2-13	+	+	trace	
		2-14	+	+	trace	
		2-15	+ ? slight	+	-	
		2-16	+	+	-	
		2-17	+	+	-	
		2-18	-	+	-	
Phenoltetrachloro- phthalein 1.9 gm. in 120 cc. olive oil.	9.5	2-19	+ slight	+ trace	-	
		2-20	-	-	-	
		2-21				
		2-22	+ slight	+	trace	Stools fairly formed ex- cept on 2-25. Trace of drug in urine—not cat- hether sample.
		2-23	+	+	-	
		2-24	no feces		-	
		2-25	+ semi fluid	+	-	
		2-26	+	+	-	
		2-27	+	+	trace	
		2-28	+	+	trace	
		3-1	-	trace		