From the eastern slope of the Rocky Mountains westward along the International Boundary Line as far as Childkweyuk Lake, and northward to Lat. 60° . Lord found his *L. minimus* near the banks of the Similkameen River, on the eastern side of the Cascade range, but at an altitude of 7,000 feet.

CASTOR FIBER, Linn.

Beaver. Castor fiber Americanus, Rich. Castor Canadensis, Kuhl. Amisk. Cree. Amikh. Saulteaux.

Throughout the whole of Canada to the northern limit of trees.

PHROGNATHUS MONTICOLA, Baird. Mountain Pocket Mouse. Recorded by J. K. Lord from southern British Columbia.

APLODONTIA LEPORINA, Rich.

Sewellel. Showt'l. Ou-ka-la. Haplodon rufus, Coues.

Eastern and western slopes of the Cascade Range in British Columbia.

GEOMYS BURSARIUS, (Shaw) Rich.

Pouched Gopher.

Originally described from a specimen brought from eastern Canada.

THOMOMYS TALPOIDES, Rich.

Northern Pocket Gopher.

Po-ta-chi ka-sioo. N. Man. Cree.

Po-ta-chi-pin-gwa-si, (The thing that blows up the loose earth). Saulteaux.

Very numerous in rich alluvial meadows from Manitoba westward along the Saskatchewan to the base of the mountains.

his com t he h of

as

tish

to ind

th-