

abundant summer resident throughout the Province wherever there are trees. Arrives April 15; departs September 30.

136. **Red-shafted Flicker.** *Colaptes cafer collaris*. A full plumaged female in my collection (No. 2,546) was shot near Winnipeg, Sept. 30, 1904, by T. Dolphin. At Portage la Prairie, in August, 1899, I saw in G. E. Atkinson's taxidermist shop a fine adult hybrid Flicker, shot in the vicinity, April 16, 1897.
137. **Whip-poor-will.** *Antrostomus vociferus*. Abundant summer resident in woods and partly wooded regions throughout the Province.
138. **Night-hawk.** *Chordeiles virginiana*. The Night-hawk is common throughout Manitoba, and thus the typical form seems to be the one in all but the true prairie region.
- 138a. **Western Night-hawk.** *Chordeiles virginianus henryi*. Very abundant summer resident of the prairies in south-western Manitoba. Arrives May 24; departs August 30.
139. **Chimney Swift.** *Chaetura pelagica*. Summer resident of the Alleghanian region, nowhere very common, and most numerous about the towns. Arrives about May 15; departs early in September.
140. **Ruby-throated Hummingbird.** *Trochilus colubris*. This is a summer resident in the Alleghanian region, wherever it finds suitable surroundings—that is, a warm sheltered garden with red flowers. Arriving about May 23.
141. **Scissor-tailed Flycatcher.** *Muscivora forficata*. Accidental straggler. One found by C. W. Nash, at Portage la Prairie, October 31, 1884. (See Auk, April, 1885, p. 218.)
142. **Kingbird.** *Tyrannus tyrannus*. Very abundant