

APPENDIX

RETURN of the Illuminating Power and Purity of Gas

INSPECTION OFFICE.	Illuminating Power.						Sulphur per		
	Highest.	Lowest.	Average.	Standard.	No. of times be- low Standard.	No. of Tests.	Highest	Lowest.	Average
	Candles.	Candles.	Candles.	Candles.			Grains.	Grains.	Grains.
Halifax—									
July	18·05	16·57	17·31	16	0	3	10·35	6·42	8·38
August	17·51	16·68	17·10	16	0	2	10·60	11·25	10·93
September	17·36	16·91	17·13	16	0	2	13·73	12·75	13·24
October	17·92	17·51	17·71	16	0	2	10·27	6·85	8·56
November	17·28	17·14	17·21	16	0	2	7·67	6·67	7·32
December	17·46	17·00	17·23	16	0	2	7·24	6·74	6·99
January	17·02	16·73	16·87	16	0	2	7·86	6·32	7·09
February	17·62	17·40	17·51	16	0	2	9·52	7·17	8·35
March	17·45	16·88	17·16	16	0	2	7·65	6·48	7·06
April	17·41	17·25	17·33	16	0	2	8·30	4·89	6·59
May	18·70	18·41	18·55	16	0	2	8·34	7·19	7·76
June	18·51	18·10	18·30	16	0	2	9·39	6·33	7·86
					0	25			
Pictou—									
July			18·20	16	0	1			
August			19·27	16	0	1			
September			19·90	16	0	1			
October			18·91	16	0	1			
November			17·71	16	0	1			
December			18·46	16	0	1			
January			19·10	16	0	1			
February			18·80	16	0	1			
March			17·22	16	0	1			
April			17·33	16	0	1			
May			17·46	16	0	1			
June			18·04	16	0	1			
					0	12			
Yarmouth—									
July			18·29	16	0	1			
August			16·44	16	0	1			
September			16·15	16	0	1			
October			16·36	16	0	1			
November			16·66	16	0	1			
December			17·00	16	0	1			
January			17·97	16	0	1			
February			16·03	16	0	1			
March			16·82	16	0	1			
April			16·42	16	0	1			
May			17·14	16	0	1			
June			18·01	16	0	1			
					0	12			