

93. *HALIPLUS IMPRESSUS*, *Latr.*—One specimen taken in Lat. 65°. Length of body $1\frac{1}{2}$ lines, nearly.

[66.] Body, reddish-yellow. Head punctured, dusky behind: prothorax yellow, depressed in the middle posteriorly, with a transverse curved series of punctures in the depression; anteriorly there are five or six black dots arranged transversely; at the base, between the central point and the margin on each side, an oblique little furrow, but not easily discoverable, is impressed: elytra pale-yellow, with a cinereous tint, nine rows of black punctures on each, those near the lateral margin being the faintest; anteriorly, in the interstices of the rows, there are also a few black punctures: the apex of the elytra is oblique, terminating in an acute point: the laminae that cover the posterior legs are punctured. [Kirby is doubtful respecting the identity of this specimen with Latreille's species, as though the latter's description agrees with it, his figure does not, for it represents the elytra with eight black spots, which are not to be found in *H. Impressus*. Le Conte puts it down as a probable synonym of *H. Immaculicollis*, Harris, a species taken in Canada, and regards its identification with Latreille's species as erroneous.]

94. *HYDROPORUS NIGRO-LINEATUS*, *Stephens.*—A pair taken in Lat. 65°. Length of body $2\frac{1}{2}$ in.— $2\frac{3}{4}$ lines.

Body lurid-yellow, somewhat glossy, minutely and thickly punctured: antennae dusky at the tip: prothorax with a minute black rhomboidal spot in the disk, which is marked with a punctiform impression; anteriorly it has a transverse series of punctures larger than those of the rest of its surface: elytra most numerous and minutely punctured: the suture and four longitudinal stripes not reaching the apex, nor the first and third the base, all black; the fourth, or outermost, is distant from the margin and interrupted: the alitrunk and abdomen are black. In the female, which is less glossy, the external stripe is continuous, and only the second reaches the base; and in the male the prothorax is more conspicuously punctured, and the anterior series of punctures is wanting.

[67.] 95. *HYDROPORUS PARALLELUS*, *Say.*—One specimen only taken. [Previously described as *H. Catascopium* Say, and subsequently as *H. Interruptus* Say: For descriptions *vide* Say's Ent. Books, ii., 98, 516, 560. Taken in Canada.]

96. *HYDROPORUS LÆVIS*, *Kirby.*—Length of body 2 lines. One specimen only taken.