

outer side, twice as long as wide, and appressed to the tarsus so as to be hardly visible except in side view; palpal organ very large, with the lower part full and extended over the base of the tibia; on the outer side near tip is a crescent-shaped yellowish mark; the bulb is small and on one side, and is tipped with a minute spine-like tube.

One ♂, Mt. Washington, N. H. [Mrs. Annie T. Slosson]. A very distinct little species, and doubtless peculiar to mountains.

*Dismodiscus alpinus*, n. sp.

Length, 2 mm. Cephalothorax pale yellowish, blackish around eyes, sternum infuscated, abdomen dark gray, legs almost white. Structure somewhat like *Loph. decem-oculatum*, Em., with a large lobe on the clypeus as in that species, but the lobe on the head is higher, narrower, rounded above, not bilobed, clothed with short hairs on top and in front, and rises suddenly from the surface of the cephalothorax in front and behind; the P. M. E. are on the cephalothorax at its base, and not on the lobe; the holes are in a large groove on each side. The posterior row of eyes is straight, equal in size, the P. M. E. fully as far from each other as from the S. E.; the anterior row is slightly recurved, the A. M. E. very small and close together. Sternum but little longer than broad, truncate at base, pointed behind, sides rounded. Legs slender, a spine above on patella and two on tibia iv., tarsus i. plainly shorter than the metatarsus. The tibia of the ♂ palpus has above two short spines and two projections at its tip, the outer one the broader and pale, the inner one more pointed and reddish; the palpus is barrel-shaped, the tube going once around the tip as in *Diplostyla*; there is a large curved hook at base.

One ♂, Mt. Washington [Mrs. A. T. Slosson]. Although this species does not strictly agree with Simon's description of the genus *Dismodiscus*, I believe it should go here, as also *Loph. decem-oculatum*, Em. The best character for the genus to me is the clypeal lobe.

*Dicyphus*, Menge, which Simon unites to *Gonatium*, I would agree with Kulezynski in keeping as a separate genus, and closely related to *Dismodiscus*. The head of the ♂ has a lobe above which does not bear the P. M. E.; there is no clypeal lobe. I have seen two species from the United States, the first of which has much affinity with the type of the genus, *D. bituberculatus*.

*Dicyphus bilobatus*, n. sp.

Length, ♂, 2 mm. Cephalothorax orange, a little black around the