

THE
MARITIME MEDICAL NEWS,
A MONTHLY JOURNAL OF MEDICINE AND SURGERY.

VOL. XII.

HALIFAX, N. S., JUNE, 1900.

No. 6.

Original Communications.

REPORT OF THREE CASES OF DOUBLE SALPINGO-
OOPHORECTOMY.*

By N. E. MACKAY, M. D., M. R. C. S. (Eng.), Surgeon to Victoria General Hospital,
Prof. of Surgery, Clinical Surgery and Operative Surgery,
Halifax Medical College.

CASE I. On October 9th, 1898, I was called to see Mrs. G. W., age thirty-four, who was suffering from severe pain in right and left inguinal regions. The pain and tenderness were more marked in the region of the left ovary. Her temperature was about 101.2, and pulse 100.

The following history was elicited:—Born at Waverley; menstruated at fifteen; married at twenty-one; had two children, youngest about ten years old; had a miscarriage five years ago; always enjoyed good health till eighteen months ago. About a year ago, after driving a distance of fourteen miles over rough roads, she had an attack similar to the present which confined her to bed for five or six weeks. For the six months immediately preceding the first attack she suffered by times from aching pains at the bottom of her stomach, but they were not at any time bad enough to consult a physician. During the first attack as well as the present, relief often followed a free discharge of pus per vaginam. Since recovery from the first attack she has been quite regular and suffered nothing unusual when unwell; but she often experienced soreness in the pelvic region after walking a long distance or working hard. Bowels fairly regular. She was fairly well nourished.

* Read at meeting of Maritime Medical Association, Charlottetown, July, 1899.