VERBENA, L. Verbena.

1745. V. URTICÆFOLIA, L. (White-flowered Vervain).

Roadsides and rocky pastures. Rare in this locality. Hinton-burgh. Beechwood. July -1.

1746. V. HASTATA, L. (Purple Vervain).

Roadsides and meadows. July-2. (B).

LABIATÆ.—Mint Family.

TEUCRIUM, L. Germander.

1750. T. CANADENSE, L.

Sandy river banks. Along the Ottawa and Rideau Rivers. July-2.

MENTHA, L. Mint.

1753. M. viridis, L. (Spear-mint).

A garden escape. Flowers in a slender terminal spike. Aug.—1.

1754. M. piperita, L. (Peppermint).

Introduced, but very common in low ground and along streams. Flowers in an interrupted terminal spike. Aug.—1.

1758. M. CANADENSIS, L. (False Pennyroyal.)

In low ground. The whole plant canescently hairy with a strong odour of Pennyroyal. July—2. (B.)

----var. Glabrata, Benth.

With the last; but stouter and much smoother with dark coloured foliage and a different scent. July—1.

LYCOPUS, L. Water Horehound.

1759, L. VIRGINICUS, L. (Bugle weed).

Low wet woods. July-2 (B) Calyx-teeth 4, ovate. Leaves almost sessile, toothed, entire towards the base. Angles of the stem rounded.

1761. L. SINUATUS, Ell,

L. Europaus, L. var. sinualus, Gray.

Low woods, July-2. Calyx-teeth 5, tapering to a very sharp point. Angles of the stem acute. Leaves very variable, sinuate-toothed to pinnatifid.