Time of Seeding.

North-West

August.... July-Aug.

July-Sept.

uly-Aug.

uly 10-20

ng.-Sept.

uly Oct.

ily-Aug

Territories, with their chief characters. - Continued.

Colour, Size, Arrangement of Flowers and other Characters of the Plant	Method of Propagation and Distribution.	Place of Growth and Products injured.	Methods of Eradication.
Surplish, 1 in., whorled heads strongly scented		Summer fallows newly cleared land	Summer fallow early cultivate.
ilac, ¼ in., terminal spikes.		Summer fallows.	Summer fallow early
Purplish, 1/2 in., axillary whorls; atems swollen below joints; bristly.		grain crops. Rich land, all crops.	Hoe, pull, cultivate.
pikes dense; pods 7-16 seed- ed; leaves inclined to lie down		Meadows, pas- tures, lawns,	Break up sod, apud.
Freen, 1/12 in., panicle; whole plant mealy white.	Seeds, in grain, clover and grass seed.	Rich soil, all crops	Cultivate, harrow grain fields.
Deep green, 1/12 in., slender terminal panicle; whole plantsmooth, stems reddish		n.	
urplish, ¼ in., axillary; a prickly tumble weed.	Seeds, Wind, noods	banks, all crops.	Hoe, cultivate, burn
Freen, 1/16 in., male flowers in terminal spikes, female axillary.	**		
reen, 1/12 in., panicle of crowded spikes: root pink. reen, 1/12 in., spikes along the whitish stems; a tum- ble weed.		Rich land, every where.	Cultivate late, burn.
treen, 1/12 in., apikes along the reddish fleshy atema; seeds twice the size of the preceding.		Rich land, where there is some alkali.	
ink and green, 1/12 in., axillary along the stems.	Seeds, floods	grain and other	Hoe, cultivate,
Vhite, 1/12., racemes	Seeds, in grain	crops. Grain fields, sum-	Summer fallow early,
reen, ¼ in., panicle; seed valves with conspicuous white grains; leaves not waved, pale green.	Seeds, in hay, in clover and grass seeds, wind.	mer-fallowa. Summer fallowa low fields, pas- tures.	cultivate. Summer fallow, apud, cultivate,
ellow, in , very fragrant.	Seeds, running roots.	Pastures	Break early, cultivate
anicle very loose, purplish; leaves very short.	Seeds, winds	Summer-fallows	Summer fallow early.
anicle contracted, awns 4-6 inches long, blackish.	Seeds, carried by animals.		Break up prairie.
pikes	Seeds, rootstocks carried by cultiv-	seasons. Fields, all crops	Plough shallow in summer, hoed crops
ale green, sometimes pur- pled by cold weather; spikes; flowers long-awned (2 in.).	Seeds, wind, ani- mals.	Meadows, pas- tures, the barbed seeds injuring stock when eaten	Mow, burn, break land.
eed hairy and bearing a long twisted awn.	Seeds, in seed grain.	Fields,grain crops	Seed down with early barley or oats and cut for hay, follow with rape or millet.