

MILK.

Inspector's Report. (Is not an expression of opinion).	Results of Analysis.					No. of Sample.	Remarks and Opinion of the Chief Analyst.
	Sp. Gr. at 20° C.	Total Solids.	Fat.	Non-fat Solids.	R.*		

R. J. WAUGH, INSPECTOR.

		p. c.	p. c.	p. c.			
.....	1-0320	12.80	4.13	8.67		Dirt present	54071 Genuine, but not clean.
.....	1-0335	13.42	4.12	9.30		"	54072 " "
.....	1-0335	12.52	3.53	8.99		"	54073 " "
.....	1-0290	11.72	3.77	7.95		"	54074 Non-fat solids low, and not clean. Doubtful.
.....	1-0315	15.75	6.86	8.89		"	54075 Genuine, but not clean.
.....	1-0310	13.13	4.23	8.90		"	54076 " "
.....	1-0320	15.22	5.93	9.29		"	54077 " "
.....	1-0320	12.92	4.08	8.84		"	54078 " "
.....	1-0285	13.40	5.75	7.65		"	54079 Non-fat solids low, and not clean. Doubtful.
.....	1-0320	12.65	3.89	8.76		"	54080 Genuine, but not clean.

JOHN C. FERGUSON, INSPECTOR.

		p. c.	p. c.	p. c.			
.....	1-0322	13.70	4.78	8.92		Clean.	66056 Genuine.
.....	1-0320	13.12	4.34	8.78		"	66057 " "
.....	1-0315	13.20	4.49	8.71		"	66058 " "
.....	1-0320	13.14	4.40	8.74		"	66059 " "
.....	1-0325	13.27	4.26	9.01		"	66060 " "
.....	1-0320	13.40	4.61	8.79		Slight dirt.	66061 " "
.....	1-0327	12.51	3.69	8.82		"	66062 " "
.....	1-0310	12.07	3.83	8.24		"	66063 " "
.....	1-0318	13.00	4.17	8.83		Dirt present.	66064 Genuine, but dirty
.....	1-0320	12.65	4.08	8.57		Clean.	66065 " "

F. X. W. E. BELAND, INSPECTOR.

.....	1-0320	11.20	2.71	8.49	...	Dirt present.	56375 Fat too low, and dirty. Adulterated.
.....	1-0315	13.82	5.10	8.72		"	56376 Genuine, but dirty.
.....	1-0345	14.02	4.29	9.73		Clean.	56377 Genuine.

* Immersion Refractometer reading on Milk Serum at 20° C.