Formulary

BENZOATED CAMPHOR ICE.

Pure laid13	oz.
Spermaceti23	Oz.
Camphor 1 Expressed oil almonds2	oz.
Expressed oil almonds2	oz.
Benzoic acid6	grn.
Oil cajuputto	drops.

Melt the lard and spermaceti; dissolve the camphor in the almond oil with gentle heat, and add to the melted fats. When nearly cold, stir in the benzoic acid and oil of cajuput, and pour into molds.

CHILBLAIN REMEDIES.

Lanolin	- 34	Oz.
Common soap	0	grs.
Warm ag	4	oz.
Warm aq	3	grs.
Spir. of rose	- 34	OZ.
Aq., q.s. to make	8	oz.

The following is also useful:

Belladonna collodion		oz.
Flexible collodion	1	oz.

To be used as a paint morning and night.

This is designated an ideal liniment.

Chloroform	14 oz.
Belladonna liniment	
Comp. tinct. benzoin	1/2 Oz.
Soap liniment	6 ozs.

This should not be applied by rubbing. Instead use bits of lint saturated with the mixture and allow them to remain on the affected part about ten minutes.—Chem. and Drug.

MANGE REMEDY FOR DOGS.

Mercurial ointment	I av. oz.
Fish or tanners' oil	5 fl. ozs.
Spirits of turpentine	I fl. 02
Sulphur, sublimed	2 av. ozs.

Rub together the mercurial ointment and fish oil, incorporate the sulphur and then the turpentine. Directions: Remove if necessary the hair and apply to the parts night and morning. The kennel or place where the animal is kept should be thoroughly disinfected by the use of crude carbolic acid, a solution of which, one to twenty in water, should be sprinkled upon the floor and surroundings twice a day.—By Albert E. Ebert, in Meyer Bros. Druggist.

SYRUP CAMPHOR COMPOUND.

The following formula is said to be the one in use in the British Royal Infirmary:

Camphor 2	drachms.
Tincture opium 1033	fluid ozs.
Tincture of squill20	fluid ozs.
Oil anise 2	
Benzoic acid 3	drachms.
Glacial acetic acid 6 1/2	fluid ozs.
Ipecacuanha t	oz.
Dilute alcoholto	fluid ozs.
Loaf sugar2S	pounds.
Caramelq.s.	•
Distilled water 12 1	ints or q.s.

Macerate the ipecac in the diluted alcohol for three days; strain, press, and filter; dissolve the camphor, oil, and benzoic acid in the acetic acid; then add the tinctures. Dissolve the sugar in the water with heat, and when cool add the other mixed ingredients and sufficient water to make the product measure four gallons.—Bull. Phar.

MENTHOLATED CREAMS.

Menthol	3	parts.
Salo1		
Olive oil	4	parts.
Lanolin	OO.	narts.

Mix the menthol and salol thoroughly with the olive oil, and incorporate the mixture with the lanolin.

2. A useful application for hoarseness with loss of voice, sore throat, cold on the chest, hard dry cough and whooping cough:

Vaselin.	2Ú 025.
Menthoi	
Fid. ext. belladonna	3 ozs.

Rub the fluid extract with the menthol in a warm mortar until dissolved, and gradually incorporate with it the vaseline, by rubbing them well together.—Merck.

COD LIVER OIL EMULSIONS.

Condensed milk is said to be excellently adapted for the preparation of emulsion of castor oil and cod liver oil. The proportions are oil, 8; condensed milk, 3; syrup, 3; water, 2. The condensed milk is mixed in a mortar, the oil gradually added, and last of all, the syrup and the water.—Pharm. Zeitg., Phar. Jl.

MANUFACTURE OF SULPHUR SOAP.

(a) 1 part of sulphurated soda is dissolved in water, the solution filtered and mixed with 2 parts of curd soap. The soap thus formed is evaporated to dryness on the water bath. (b) 25 parts coconut oil, 5 parts lard, and 2 parts of lanoline are saponified with 16 parts potash solution of 38°. The partly cooled mass

is then at once well mixed with 2½ parts of sulphur and 2½ parts of water, and perfumed with ½ part of lemon oil and 10 part of cassia oil. (c) 25 parts coconut oil and 8 parts of lard are saponified with 16 parts potash solution 38°. The partly cooled mass is at once well mixed with 2 parts of flowers of sulphur and 6 parts of water colored with saffron yellow dye (dissolved in hot water), and per fumed with essence of lemon.—Pharm. Zeit., Phar. It.

FLORIDA WATER.

Ol. bergamottæ.	150.
Ol. limonis.	90.
Ol. aurant. cort	60.
Ol. Javanduke	105.
Ol. caryophyll	15.
Ol. cinnamon	
Ol. aurant. flor	
Alcehol	8,000.
Aq. destill	4,500.
-Pharm	

SOFT CORNS AND SMALL WARTS.

Tannin																dr.
Aicohol	•	•	٠	-		•	•				•	-	•	•	3	ozs

Mix. To be used frequently as a wash.

A SEAFOAM FORMULA.

I Olei panaseptics	5 OZ.
2 Alcoholis	i pt.
3 Aq. ammoniae	3 drs.
4 Potass. carbonatis	a dis.
5 Aquae	

Add 1 and 2 together, solve 4 and 5, and add 3, then mix; Panaseptic oil is used in preference to castor oil, which gums and turns rancid when old and exposed to atmosphere.—New Eng. Drug.

PERFUMED SATCHETS.

Pieces of fine kid of suitable shape are soaked in a closed vessel for three days in the following solution:

Oil of bergamot	2
Neroli oil	24
Bitter almond oil	
Oil of orris	40
Tolu balsam	30
Cumarin	2
Rectified spirit	100

The pieces of leather should then be dried on a line in a room of the temperature of 17.5° to 20° C. After some days the rough side of the pieces of leather should be painted with gum arabic, and finely pulverized orris root strewn on and again dried. Then prepare a mixture of 2 grms, finely pulverized musk and 2 grms, civet, and mix to a paste with a little gum arabic. Smear on both sides of the leather and dry again. Two pieces of leather are then stuck together, wound