

3. *H. stramentosa*, Guén.—On treacle beginning of October (but worn).  
*Distribution.*—New York, (E. Doubleday.)
4. *H. ligata*, Walker M.S.S. N. Sp.—Attracted by light, beginning of July.

“ *Fæm.* Cinerea; palpi verticem paullo superantes; abdomen alas posticas superans; alæ linea subtus exteriore nigricante; anticæ roseo, suffusæ, fusco conspersæ et trilineatæ, lineata duplicita, 3 a flexa, orbiculari et reniformi distinctis albido marginatis, linea marginali venis que nigricantibus.”

“ *Female.* Cinereous. Palpi rising a little higher than the vertex; third joint lanceolate, not more than one fourth the length of the second. Abdomen extending rather beyond the hind wings. Wings slightly æneous-tinged, with an exterior blackish line beneath. Forewings mostly rose-tinged minutely brown-speckled, with three brown lines, basal line double, undulating, interior line undulating; exterior line oblique, bent in front; orbicular and reniform marks distinct, whitish-bordered, the former large and round, the latter of the usual form; marginal line and veins blackish. Length of the body 5 lines; of the wings 12 lines.” Walker, M.S.S.

*Genus 2. NEPHELODES, Guén.*

1. *N. signata*, Walker M.S.S., N. Sp.—Attracted by light, beginning of August.

“ *Mas.* Rufescente cinerea, crassa; palpi caput vix superantes: antennæ subpectinatae; abdomen alas posticas superans; tibiæ posticæ pilosissime; alæ anticæ lineis quinque undulatis nigris, litura reniformi magna alba ferrugineo varia; posticæ æneo-cinereæ, litura discali lineaque exteriore subtus nigris.”

“ *Male.* Reddish cinereous, very robust. Palpi vertical, hardly rising higher than the head; 3rd joint lanceolate, minute. Antennæ slightly pectinated. Abdomen extending rather beyond the hind-wings; apical tuft rosy, large, quadrate. Legs stout; hind tibiæ very pilose; spurs moderately long. Forewings with five slight undulating black lines, and with a large white ferruginous, varied reniform mark; underside with a distinct exterior black line. Hind wings æneous-cinereous; underside with the discal mark and the exterior line black and very distinct. Length of the body 8 lines; of the wings 14 lines.” Walker M.S.S.