

C175377

- 15 -

(ii) Civilian Respirators

Containers accepted ..... 81,782  
 Facepieces accepted ..... 102,299  
 Respirators assembled ..... 79,947

(b) CW Laboratories, Ottawa (Week ending 9 Dec)

Anti-gas Ointments

(i) Both acid phosphates and acid sulphates have been shown to be effective, with the sulphates slightly superior.

(ii) Some amino dithiols have been prepared and are being tested for therapeutic effect with mustard.

GENERAL STORES

21. (a) Web Equipment

A trial quantity of Battle Jerkins are to be manufactured and will undergo tests as a substitute for Web Equipment.

(b) Anti-Gas Clothing

	<u>Delivered</u>	<u>Issued</u>
Assorted AG Garments	39,570	110,488
Respirators AG	16,360	16,300

(c) Camp Equipment

(i) A sample of Burner for Portable Cookers used by the US Army is to be obtained. It is understood that leaded gasoline can be used with this burner.

(ii) Distribution of Trg Film CA-8 "Paratps" and TF 11-324 "Safeguarding Military Information" has been made across Canada in accordance with schedule supplied by DMT.

(d) Tools and Misc Items

(i) A circular is being circulated to all Districts requesting that their requirements of metal be reduced to a minimum.

(ii) The delivery of Washer Flat and Lock Spring is unfavourable and is seriously affecting various services.

(iii) Provision action has been taken for a supply of Saffie Fume Briquettes required for use in fumigating chambers.

TECHNICAL STORES

22. Item	Received		<u>For distribution</u>
	Week	To date	
(a) <u>Guns and Mortars</u>			
3.7" AA Equipments	8	148	Prev issued 140 Sydney, NS 3 Shelburne 1 Pending 4
6-pr A Tk Equipments	79	207	Pending 79

(Over)