

Several new foci were to be seen this morning: A newly discolored area, $1\frac{1}{2} \times 2\frac{1}{2}$ inches, on the outer surface of the humerus, three or four small discolored areas about the knuckles, some discoloration and blood on the roof of the mouth, a large dark patch below and behind the left ear, some bleeding from the left nostril, a trace of blood in one vomit, slight bleeding from around the cord. Temperature, 101° F. Calcium chloride was ordered by the mouth. Later in the day Dr. Reeve, Dr. W. P. Caven, and Dr. Adam Wright saw the case with me. As the calcium chloride had by this time upset the stomach, it was decided to give it per rectum, and adrenalin solution in gtt. i. doses by the mouth and gelatin 2 per cent. solution every hour or two, also by the mouth.

9.30 p.m. Eyelids were more swollen and bursting in appearance, everted, and oozing. Vomiting began after a few doses of gelatin. This preparation was not a nice one. It was yellowish, thick, gluey and smelled like a glue-pot. It was therefore ordered to be injected into the bowel, $\frac{1}{2}$ oz. every hour. Face very pale and in marked contrast to the discolored (almost black) and bulging left eyelid. Temperature, 102° F.

23rd, 9 a.m. Had hæmorrhage from the bowel, probably not more than a couple of drams, but almost immediately afterwards he became very quiet and seemed to the nurse to be dying. I had to look closely to see that he was breathing. Saline injection, 1 oz. to be given every hour. Swelling over lids possibly not so tense as yesterday. Scalp apparently stripped up more, so much so that the lobe of right ear was pushed upward and forward. Temperature, 100° F. Gelatin according to the following formula, taken from Frühwald, was ordered and found to be much more palatable than the first lot:

R	Gelatin alb. (Merck)	gr. xxx.
	Sod. chlorid.	gr. ii.
	Aq. destil.	$\frac{3}{4}$ iii.
	3 i o. h. 1, vel. 2.	

Skin dry, rough, and parched over the whole body. 3 p.m.: Taking gelatin and keeping it down. Ordered 1 oz. also to be injected into the bowel every three hours. Some new dark spots (blood) noticed on palms and backs of hands. 10 p.m.: Lies quietly except when scalp is touched, then cries as if in pain. Temperature, 101° F.

24th, 10 a.m. Temperature, $100.2-5^{\circ}$ F. Had three mild convulsions during the night. Vomited after each dose of gelatin, which was discontinued, and saline enemata to be tried again. Lies quiescent; only apparent sign of life is an occasional movement of lips. 5 p.m.: Swelling over lids less, showing eyeball between—hazy, lustreless and pushed forward from behind about $\frac{1}{2}$ inch. Temperature, 100° F.

25th, 9 a.m. Temperature, 100° F. Right eyelid discolored, though not swollen now. To have whey by mouth and normal saline by bowel to