

- Polyporus albellus, Pk.
Polyporus picipes, Fr.
Poria vulgaris, Fr.
Favolus europaeus, Fr. (F. canadensis Kl.)
Lenzites sepiaria, Fr.
Boletus scaber, Fr. (edible).
Boletus americanus, Pk.
Cantharellus umbonatus, Fr.
Pezizus involutus (Batsch.) Fr. (edible).
Cortinarius plumbeus, Pk.
Hygrophorus mineatus, Fr. (edible).
Russula fragilis, Fr.
Russula fallax (Schaeff.) Fr.
Lactarius chrysorrheus, Fr.
Lactarius paludinellus, Pk.
Lactarius subdulcis (Bull.), Fr.
Schizophyllum alneum, L. (S. commune Fr.)
Marasmius rotula (Scop.), Fr.
Marasmius elongatipes, Pk.
Marasmius siccus, Schw.
Panus stipticus (Bull.), Fr.
Lentinus spretus, Pk.
Amanitopsis vaginata (Bull.), Rose. (edible).
Lepiota granulosa (Batsch.), Fr.
Armillaria mellea, Vahl. (edible).
(Another Armillaria Dr. Peck thinks a new species, but fears to describe or name from the one specimen secured).
Agaricus silvicola, Vitt. (edible).
Stropharia semiglobata (Batsch.)
Hypholoma hymenocephalum, Pk.
Flammula spumosa, Fr.
Flammula flavida, Fr.
Inocybe subtomentosa, Pk.
Pleurotus decorus, Fr. (Clitocybe decora [Fr.]).
Pleurotus ostreatus (Jacq.), Fr. (edible).
Crepidotus fulvotomentosus, Pk.
Panaeolus campanulatus (L.) Fr.
Pluteus cervinus (Schaeff.), Fr. (edible).
Pluteus tomentosulus, Pk.
Clitopilus albogriseus, Pk.
Leptonia serrulata (Pers.), Fr.
Leptonia subserrulata, Pk.
Omphalia fibula (Bull.), Fr.
Omphalia campanella (Batsch.), Fr.
Omphalia curvipes, n. sp. 2nd August, 1905; Horseshoe Island, Stony Lake; growing out from underneath or