

Vertex slightly less than a right angle, the apex blunt, almost twice broader than long, over twice longer on middle than against the small eyes; disc slightly convex, separated from the convex front by a sharp, slightly-curved carina; ocelli a little over their own width back of the carina, and about midway between apex and eye. Front broad, convex in both diameters, clypeus long, its depressed semicircular apex extending beyond the genæ. Pronotum transverse, about equalling length of the vertex, slightly emarginate on the median half posteriorly. Elytra brachypterous, but little longer than the pronotum, truncate or slightly rounding behind, coriaceous obscuring the venation.

Colour: dark reddish brown, vertex irregularly maculate with numerous small, round, yellow spots; pronotum and scutellum with numerous irregular yellow spots. Sometimes a pair of irregular yellow stripes ending on the outer angles of the scutellum. Elytra very sparsely maculate, an irregular blotch on the apical margins just within the costa; abdomen with numerous small spots and a pair of irregular longitudinal stripes yellow; face almost piceous with numerous fine yellow dots.

Genitalia: female segment large, nearly twice longer than penultimate, the posterior margin truncate within the triangularly produced lateral angles, a narrow median incision, back of which the segment is distinctly carinate.

Described from two females from Siskiyou Co., Calif.; collected by Koebele. Received from the U. S. Nat. Museum.

PAGARONIA, n. gen.

Allied to *Errhomenellus* and *Tettigonia*, but with a narrower head than in either. Resembling *Ciccus* in shape of head and pronotum. Head distinctly narrower than pronotum, the eyes small, vertex conical, nearly as long as the pronotum; the front reflexed over the margin as in *Tettigonia*; ocelli small, on the vertex just back of the suture that marks off the reflexed front, and one-third the distance from the eye to the apex. Pronotum short, emarginate behind, angularly inserted between the eyes, the lateral margin carinate, broadening posteriorly in a curve continuous with that of the anterior margin. Elytra longer than the abdomen, venation simple, usually but one anteapical cell—the outer. Face long and narrow, clypeus extending beyond the margin of the genæ; anterior tibiae simple.