Spokane Falls, W. T., sent me by Rev. W. J. Holland, Pittsburgh, Pa. and I & taken in Colorado by Mr. Mead in 1871. Also I have a female nearer the Colorado type of Eurynome, by Mr. Morrison, at Mt. Hood, Oregon. This is very small, dull fulvous above; the belt spoken of dark yellow buff, the disk to base pale ferruginous, mottled with dull green. Two females from Big Horn, Mont., agree with this, but are large as the usual Colorado form.

PAMPHILA CARUS.

Male.—Expands 1.1 inch.

Upper side light brown, with a slight tint of yellow; primaries have two minute yellow white sub-apical spots on costa, two others directly below these in the two upper median interspaces, and an obscure spot at outer end of cell; the stigma a straight, slender black bar, extending from upper median nervule to sub-median. Secondaries have, on the disk, in line parallel to hind margin, a curved row of obscure and minute yellow-white spots on the upper half the wing; fringes dull white.

Under side of both wings brown; the costal margin of primaries and inner margins of both wings, dusted with yellow-white; so also the hind margins for a narrow space; all nervures and branches yellowish; primaries have the spots of upper side repeated, enlarged: there are now three costal spots, two at end of cell, two in median interspaces, and one in cell; on secondaries the row is distinct, all the spots enlarged, the line curving round outer angle; a large spot in cell.

Female.—Expands from 1.1 to 1.25 inch.

The upper side marked by an oblique row of white spots extending from upper discoidal nervule to inner margin; three costo sub-apical spots; one at end of cell; the spots on secondaries distinct.

From 1 male and 2 females received some years ago from the late Jacob Boll, and taken by him in West Texas. The species stands near *Rhesus* Edw., resembling it in size, general color of upper side and white fringes. But the male *Rhesus* has no stigma, the fringes are purer white, and there is considerable difference beneath. The presence of a stigma however is enough to enable one to distinguish *Carus* at sight.

PAMPHILA MILO.

Male.—Expands 1.2 inch.

Upper side bright red-fulvous, the hind margins of primaries pale brown nearly to cell; the stigma a black narrow ridge, nearly straight, bent