

On the abdomen, loins, thighs and calves of the legs, arms and fore-arms, are the drying scabs of small pustular eruption, in patches, leaving, where they have separated, small depressions. He complains of pains in the joints, and periostitis of the shoulders and sternum. The submental glands are enlarged. On the other surface of the penis, about its middle is a cicatrix the size of a half-penny, silvery, and without hardness.

He was infected about the end of August, (1846), and a month after admitted under Dr. MacDonnel. He remained in five weeks, when he was dismissed cured. A fortnight after the eruption appeared, preceded by headache, sick stomach, and shivering. The right eye became dim and red three weeks ago, and painful about a week since, when the left eye got bad.

Feb. 3d. Five grains of Hyd: c. cretâ, three times a day; extract of belladonna to be smeared round the eyes.

5th. the pupil of the right eye slightly dilated; vascularity of both eyes less.

6th. His mouth is sore. Omit the pills.

8th. No pain in the eyes; vascularity diminishing; pupils dilating, but very irregular: the irides regaining their clearness and natural colour, being less yellow; vision still dim.

9th. Eyes paler; the left pupil is now dilated, and presents a curious appearance., the inner circle being quite fringed with tags of lymph, to the number of twenty, where the adhesions had existed between the iris and capsule of the lens. To take a pill night and morning.

The improvement in the eyes was accompanied by equal improvement in the eruption and pains. The mercury was continued, either in the form of Hyd: c. cretâ., or small portions of mercurial ointment, to the 11th of March. He was dismissed quite well, and the eyes in every respect natural, on the 23rd March.

3. Mary Byrne, æt. 25, rather a delicate-looking woman, who had been infected by her husband several months before, and been in the hospital with syphilitic eruption for two months, under the care of Mr. Hamilton, with a slight attack of iritis. She left the hospital well, but returned in a fortnight, the iritis having relapsed, and become most acute, accompanied by a most alarming sloughing ulceration of the throat. She had been permitted to return home only on the condition of continuing the treatment, but neglected entirely to do so.

Dec. 30, 1856.—The right eye presents the appearance of intense ophthalmia; the conjunctiva very red and vascular; a pink zone round the cornea; intolerance of light; profuse lachrymation, and tumid eyelids. The iris is dull, of a greenish-yellow colour, with rusty specks of lymph