

Pyrameis atlanta, Linn.

(VANESSA ATALANTA.)

Common at St. John, Fredericton and Sussex, and probably abundant throughout the entire Province. Flies, from June to the latter part of September. This species was unusually numerous from the 16th to the 25th of June of the present year.

Pyrameis cardui, Linn.

(VANESSA CARDUI.)

This butterfly is usually abundant, but during the past three years has been rare in this neighborhood, although quite abundant twenty miles inland. Flies during June, July and August.

Pyrameis huntera, Fabr.

(VANESSA HUNTERA.)

This species is occasionally abundant, and is generally found flying with *P. cardui*.

Limenitis arthemis, Drury.

(BASILARCHIA ARTHEMIS.)

Not uncommon at St. John, Rothesay, Hampton, Belleisle, Fredericton, and probably throughout the entire province. Flying from June to the latter part of August.

Limenitis disippus, Godt.

(BASILARCHIA ARCHIPPUS.)

This interesting species is not very common. Specimens have been taken at St. John, Fredericton, Belleisle and Grand Lake. Flies in June, July and August.

Sub-family SATYRINÆ.

Neonympha canthus, Boisd Lec.

(SATYRODES ERYDICE, Linn.)

NEONYMPHA BOISDUVALLI, Harris.

This butterfly is not uncommon on the Belleisle and at Fredericton and Sackville.

Satyrus nephele, Kirby.

(CERCyonis NEPHELE.)

EREbia NEPHELE.

Abundant throughout the province. Flying in July and August. Frequenting swampy meadows and fields bordered by woods.