July-

June.

e-Finger.

common.

-Aug. rocks at

v its pur-

June. erywhere.

nd in bor-

ets. Com-

spreading

d branches

July. redges and

ion. June. ano-carpa,

in woods ies. June. dian Pear. pring, and

with white

ong leaves

with long Lake, St.

In damp

199.

and black,

and when ms. Cold

h resemble

nt of the ne.

179. R. aureum, Pursh. Flowering Currant, is extensively cultivated for ornament, its long yellow blossoms and pleasant fragrance rendering it a favorite in early spring. PARNASSIA Caroliniana, Mich. Grass of Parnassus. A perennial smooth little herb

180. with a single or sometimes two clasping leaves low down on the stem, the others all radical. A solitary flower terminates the stem. York County.-Prof. Bailey.

Have not seen the living plant.

181. Sanifraga Aizoon, Jacq. On moist rocks opposite Rothsay. (Herb of Prof. Bailey.)

182.

Have not seen the living plant.

S. Virginiensis, Michx. Early Saxifrage. York County.—(Herb of Prof Bailey.)

MITELLA nuda, L. Mitre-wort. Bishop's-Cap. A delicate little plant with fine slender pinnatifid petals, greenish blossoms and round or kidney-shaped crenate leaves, 183.

found in deep mossy woods. Common. May—June.

Tiarella cordifolia, L. False Mitre-wort. One of our early flowers in rich rocky woods, 6-10 inches high, with a naked scape terminated by a simple raceme of white 184. flowers. Rare in northern counties; common about Fredericton.

185. CHRYSOSPLENIUM Americanum, Schwein. Golden, Saxifrage. A tender, smooth, low plant with inconspicuous flowers, growing about springs and in cold wet places. Common. May.

CRASSULACE E-Orpine Family.

186. Penthorum sedoides, L. Ditch Stone crop. I am indebted for a specimen to Mr. Hay, who collected it at Norton. A specimen in the University Herbarium is labelled "Frederieton." Wet open places and ditches. July—Sept.
187. Sedum Telephium, L. Garden Orpine or Live-for-ever. Escaped from gardens and becoming a troublesome weed in some places.

188. S. Rhodiola, DC. Roscroot. On exposed sea-cliffs, St. John County. June.

HAMAMELACE E-Witch-Hazel Family.

189. HAMAMELIS Virginiana, I. Witch-Hazel. As it differs from other trees by blossoming in October when the leaves are falling, and by retaining its flowers through the greater part of winter, it has come to figure largely in the superstitions of the ignorant and designing, and furnishes material for divining rods, etc. Damp rich woods. Rather rare.

HALORAGEÆ-Water-Milfoil Family.

190. Myriophyllum spicatum, L. In deep water. Kouchibouguac. Kennebeccasis. Perhaps common.

M. tenellum, Bigelow. A very insignificant, simple, leafless plant 2.5 inches high, 191. growing in water round the edge of lakes or ponds. Have only seen it near Richibucto.

192. HIPPURIS vulgaris, L. Mare's Tail. In water and deep mud. In the city of St. John, near the shipyard. Shediac. Dorchester. Rare.

ONAGRACE.E-Evening-Primrose Family.

193. Circara alpina, L. Enchanter's Nightshade. Common in damp woods. July.

C. Lutetiana, L. Have no native specimen; one in Prof. Bailey's Herb. is labelled 194. "Queensbury."

EPILOBIUM angustifolium, L. E. spicatum, Lam. Great Willow-herb. Abundant on 195. newly cleared land. The long spikes of pink-purple flowers very conspicuous.

196. E. palustre, L, var. lineare, Gray. In wet boggy places. Rather common.

197. E. coloratum, Muhl. Somewhat common in wet places. July—August. CENOTHERA biennis, L. Ecening Primrose. Common in fields and waste places. 198. Flowers very conspicuous in the evening twilight. June-September.

Œ. pumita, L. Very frequent in dry fields and roadsides. June.

UMBELLIFER.E-Parsley Family.

200. Hydrocotyle Americana, L. Water Pennywort. In shady damp or springy places. Common.

201. Sanicula Marilandica, L. Sanicle. Black Snakeroot. Bass River, Kent Co. Woolstock. Rare or overlooked. Woods and copses. July.

202. HERACLEUM lanatum, Michx. Cow Parsnip. In rich moist ground. A large, strongscented weed, easily known by its broad flat umbels of white flowers and fruit. Stems woolly and grooved. Common. June.