

Address.....

You Should Have Absorbine, Jr. In Your "First Aid" Cabinet

It is a dependable preparation for the numerous household accidents-even in major cases you will assist your physician by its use awaiting his arrival. Applied to cuts, bruises, wounds and sores it makes the parts thoroughly aseptic, kills the germs and promotes rapid and healthy healing. Absorbine, Ir. contains no poisons or acids andisharmless to the most sensitive tissues.

THE ANTISEPTIC LINIMENT

TRADE MARK REG. U.S. PAT. OFF.

It is a different kind of liniment. It is a non-poisonous Antiseptic and Germicide

This doubles its efficiency and it may therefore be prescribed and used with every confidence whereever a high-grade liniment or a safe, powerful germicide is indicated.

To reduce inflammatory conditions-sprains, wrenches, painful, swollen veins or glands,

To reduce bursal enlargements and infiltrations—wens, weeping sinews, etc. Absorbine, Jr. is a discutient and resolvent.

To allay pain anywhere—its anodyne effect is prompt and permanent.

To spray the throat if sore or infected—a 10% or 20% solution of Absorbine, Jr. is healing and soothing and will destroy bacteria.

To heal cuts, bruises, lacerations, sores and ulcers.

2-14 C.M. Athletes and Trainers use Absorbine, Jr., not only to overcome these conditions but as a preventive. After severe exercise a rub-down with Absorbine, Jr. diluted (one ounce to a quart of water or Witch Hazel), limbers up the stiff joints and muscles, stops inflammation and prevents soreness. The solution is also antiseptic W. F YOUNG on and prevents soreness. The solution is also antiseptic and germicidal.

Absorbine, Jr. is sold by leading druggists at \$1.00 and \$2.00 a bottle or sent direct all charges paid. Descriptive pamphlet and detailed laboratory reports by eminent chemists free to physicians and dentists on request. P.D.F. 187 Lymans Bldg. Montreal Enclosed find 10c in stamps for which send me postpaid TRIAL BOTTLE
Absorbine. Jr., pamphlet "Evidence" and laboratory reports.

A Liberal Trial Bottle

will be sent to your address upon receipt of 10c in stamps. Send for trial bottle or procure regular size from your druggists today.

Manufactured only by

W. F. YOUNG, P.D.F.

187 Lymans Bldg. MONTREAL, Can. Reprint from Laboratory Report Made November 15th, 1911, by A. R. Pyne, M.B., Dominion Analyst, 134 Carlton Street, Toronto, on Absorbine, Jr.

Test was conducted with a 25 per cent. aqueous solution of absorbine. Jr. There was no growth of the Bacillus Diphtheric or Bacillus Coli on the sterile agar plates from one up to fifteen minutes, and nine minutes' exposure was germicidal to the Staphylococcus.

Test 2 was conducted in the same way with a 15 per cent solution. There was no growth on the agar plates from the Bacillus Diphtherize or the Bacillus Coli, fourteen ninutes proving sufficient for the death of the Staphylococcus.

Test 3 was similarly conducted, using a 10 per cent. solution. Three minutes' exposure to this solution was germicidal to the Bacillus Coli, while it took seven to destroy the Bacillus Diphtheriae.