

MONTHLY METEOROLOGICAL REGISTER AT THE PROVINCIAL MAGNETICAL OBSERVATORY, TORONTO, CANADA WEST,—APRIL, 1888.

Latitude—43 deg. 39.4 min. North. Longitude—79 deg. 21 min. West. Elevation above Lake Ontario, 108 feet.

Day.	Barom. at temp. of 32°.				Temp. of the Air.				Excess of mean above Average	Tens. of Vapour.				Humidity of Air.				Direction of Wind.				Result. Direction.	Velocity of Wind.				Rain in inches.	Snow in inches.	
	6 A.M.	2 P.M.	10 P.M.	Mean.	6 A.M.	2 P.M.	10 P.M.	MEAN.		6 A.M.	2 P.M.	10 P.M.	MEAN.	6 A.M.	2 P.M.	10 P.M.	MEAN.	6 A.M.	2 P.M.	10 P.M.	MEAN.		6 A.M.	2 P.M.	10 P.M.	MEAN.			
1	29.723	29.675	29.634	29.677	53.0	53.0	43.8	45.78	+9.55	148	172	219	181	65	43	76	60	N E B E	E	Calm.	Calm.	N 86 E	6.0	9.0	0.0	3.95	4.25	...	...
2	29.712	29.638	29.614	29.641	53.6	53.1	43.8	45.78	+11.47	180	197	227	200	80	39	53	59	N E B E	S	E B S	E B S	N 86 E	6.0	4.2	3.0	1.71	2.93	...	...
3	29.658	29.544	29.514	29.539	55.5	55.5	48.0	48.48	+11.47	173	227	182	200	84	51	53	59	N E B E	S	E B S	E B S	N 86 E	6.0	4.2	3.0	1.71	2.93	...	...
4	29.638	29.514	29.484	29.514	55.5	55.5	48.0	48.48	+11.47	173	227	182	200	84	51	53	59	N E B E	S	E B S	E B S	N 86 E	6.0	4.2	3.0	1.71	2.93	...	...
5	29.614	29.484	29.454	29.514	55.5	55.5	48.0	48.48	+11.47	173	227	182	200	84	51	53	59	N E B E	S	E B S	E B S	N 86 E	6.0	4.2	3.0	1.71	2.93	...	...
6	29.584	29.454	29.424	29.484	55.5	55.5	48.0	48.48	+11.47	173	227	182	200	84	51	53	59	N E B E	S	E B S	E B S	N 86 E	6.0	4.2	3.0	1.71	2.93	...	...
7	29.554	29.424	29.394	29.454	55.5	55.5	48.0	48.48	+11.47	173	227	182	200	84	51	53	59	N E B E	S	E B S	E B S	N 86 E	6.0	4.2	3.0	1.71	2.93	...	...
8	29.524	29.394	29.364	29.424	55.5	55.5	48.0	48.48	+11.47	173	227	182	200	84	51	53	59	N E B E	S	E B S	E B S	N 86 E	6.0	4.2	3.0	1.71	2.93	...	...
9	29.494	29.364	29.334	29.394	55.5	55.5	48.0	48.48	+11.47	173	227	182	200	84	51	53	59	N E B E	S	E B S	E B S	N 86 E	6.0	4.2	3.0	1.71	2.93	...	...
10	29.464	29.334	29.304	29.364	55.5	55.5	48.0	48.48	+11.47	173	227	182	200	84	51	53	59	N E B E	S	E B S	E B S	N 86 E	6.0	4.2	3.0	1.71	2.93	...	...
11	29.434	29.304	29.274	29.334	55.5	55.5	48.0	48.48	+11.47	173	227	182	200	84	51	53	59	N E B E	S	E B S	E B S	N 86 E	6.0	4.2	3.0	1.71	2.93	...	...
12	29.404	29.274	29.244	29.304	55.5	55.5	48.0	48.48	+11.47	173	227	182	200	84	51	53	59	N E B E	S	E B S	E B S	N 86 E	6.0	4.2	3.0	1.71	2.93	...	...
13	29.374	29.244	29.214	29.274	55.5	55.5	48.0	48.48	+11.47	173	227	182	200	84	51	53	59	N E B E	S	E B S	E B S	N 86 E	6.0	4.2	3.0	1.71	2.93	...	...
14	29.344	29.214	29.184	29.244	55.5	55.5	48.0	48.48	+11.47	173	227	182	200	84	51	53	59	N E B E	S	E B S	E B S	N 86 E	6.0	4.2	3.0	1.71	2.93	...	...
15	29.314	29.184	29.154	29.214	55.5	55.5	48.0	48.48	+11.47	173	227	182	200	84	51	53	59	N E B E	S	E B S	E B S	N 86 E	6.0	4.2	3.0	1.71	2.93	...	...
16	29.284	29.154	29.124	29.184	55.5	55.5	48.0	48.48	+11.47	173	227	182	200	84	51	53	59	N E B E	S	E B S	E B S	N 86 E	6.0	4.2	3.0	1.71	2.93	...	...
17	29.254	29.124	29.094	29.154	55.5	55.5	48.0	48.48	+11.47	173	227	182	200	84	51	53	59	N E B E	S	E B S	E B S	N 86 E	6.0	4.2	3.0	1.71	2.93	...	...
18	29.224	29.094	29.064	29.124	55.5	55.5	48.0	48.48	+11.47	173	227	182	200	84	51	53	59	N E B E	S	E B S	E B S	N 86 E	6.0	4.2	3.0	1.71	2.93	...	...
19	29.194	29.064	29.034	29.094	55.5	55.5	48.0	48.48	+11.47	173	227	182	200	84	51	53	59	N E B E	S	E B S	E B S	N 86 E	6.0	4.2	3.0	1.71	2.93	...	...
20	29.164	29.034	28.994	29.034	55.5	55.5	48.0	48.48	+11.47	173	227	182	200	84	51	53	59	N E B E	S	E B S	E B S	N 86 E	6.0	4.2	3.0	1.71	2.93	...	...
21	29.134	28.994	28.954	28.994	55.5	55.5	48.0	48.48	+11.47	173	227	182	200	84	51	53	59	N E B E	S	E B S	E B S	N 86 E	6.0	4.2	3.0	1.71	2.93	...	...
22	29.104	28.954	28.914	28.954	55.5	55.5	48.0	48.48	+11.47	173	227	182	200	84	51	53	59	N E B E	S	E B S	E B S	N 86 E	6.0	4.2	3.0	1.71	2.93	...	...
23	29.074	28.914	28.874	28.914	55.5	55.5	48.0	48.48	+11.47	173	227	182	200	84	51	53	59	N E B E	S	E B S	E B S	N 86 E	6.0	4.2	3.0	1.71	2.93	...	...
24	29.044	28.874	28.834	28.874	55.5	55.5	48.0	48.48	+11.47	173	227	182	200	84	51	53	59	N E B E	S	E B S	E B S	N 86 E	6.0	4.2	3.0	1.71	2.93	...	...
25	29.014	28.834	28.794	28.834	55.5	55.5	48.0	48.48	+11.47	173	227	182	200	84	51	53	59	N E B E	S	E B S	E B S	N 86 E	6.0	4.2	3.0	1.71	2.93	...	...
26	28.984	28.794	28.754	28.794	55.5	55.5	48.0	48.48	+11.47	173	227	182	200	84	51	53	59	N E B E	S	E B S	E B S	N 86 E	6.0	4.2	3.0	1.71	2.93	...	...
27	28.954	28.754	28.714	28.754	55.5	55.5	48.0	48.48	+11.47	173	227	182	200	84	51	53	59	N E B E	S	E B S	E B S	N 86 E	6.0	4.2	3.0	1.71	2.93	...	...
28	28.924	28.724	28.684	28.724	55.5	55.5	48.0	48.48	+11.47	173	227	182	200	84	51	53	59	N E B E	S	E B S	E B S	N 86 E	6.0	4.2	3.0	1.71	2.93	...	...
29	28.894	28.694	28.654	28.694	55.5	55.5	48.0	48.48	+11.47	173	227	182	200	84	51	53	59	N E B E	S	E B S	E B S	N 86 E	6.0	4.2	3.0	1.71	2.93	...	...
30	28.864	28.664	28.624	28.664	55.5	55.5	48.0	48.48	+11.47	173	227	182	200	84	51	53	59	N E B E	S	E B S	E B S	N 86 E	6.0	4.2	3.0	1.71	2.93	...	...
M	29.513	29.491	29.466	29.490	53.0	53.0	43.8	45.78	+0.47	166	175	184	176	73	54	73	66	N E B E	S	E B S	E B S	N 86 E	8.86	13.2	3.17	9.57	1.94	0.1	0.1