

TO THE TRADE.

FILLING LETTER ORDERS A SPECIALTY.

amongst which are special lines and manufacturers' over makes.

JOHN MACDONALD & CO.,
Wellington and Front-Sts. E.
TORONTO.

AT OSOODE HALL

Mr. W. H. Hall of Markham to be served With Notice of Motion to Void His Election as County Councillor.

In Reg. ex rel. Vanderburgh v. Hall an order was obtained from Mr. Cartwright in Chambers for leave to serve notice of Motion upon W. H. Hall to void his election as County Councillor for the fifth division of the County of York. It is claimed irregularities committed while the election was in progress.

In Reg. ex rel. Pratt v. Burn, a similar order was obtained to void defendant's election as Mayor of Toronto, but the grounds in this case are bribery, corruption and hiring of voters.

In Reg. ex rel. Bond v. Patterson, a similar order was made. The grounds are bribery and hiring of voters.

In Reg. ex rel. Bond v. Patterson, a similar order was made. The grounds are bribery and hiring of voters.

In Reg. ex rel. Bond v. Patterson, a similar order was made. The grounds are bribery and hiring of voters.

In Reg. ex rel. Bond v. Patterson, a similar order was made. The grounds are bribery and hiring of voters.

In Reg. ex rel. Bond v. Patterson, a similar order was made. The grounds are bribery and hiring of voters.

In Reg. ex rel. Bond v. Patterson, a similar order was made. The grounds are bribery and hiring of voters.

In Reg. ex rel. Bond v. Patterson, a similar order was made. The grounds are bribery and hiring of voters.

In Reg. ex rel. Bond v. Patterson, a similar order was made. The grounds are bribery and hiring of voters.

In Reg. ex rel. Bond v. Patterson, a similar order was made. The grounds are bribery and hiring of voters.

In Reg. ex rel. Bond v. Patterson, a similar order was made. The grounds are bribery and hiring of voters.

In Reg. ex rel. Bond v. Patterson, a similar order was made. The grounds are bribery and hiring of voters.

In Reg. ex rel. Bond v. Patterson, a similar order was made. The grounds are bribery and hiring of voters.

In Reg. ex rel. Bond v. Patterson, a similar order was made. The grounds are bribery and hiring of voters.

In Reg. ex rel. Bond v. Patterson, a similar order was made. The grounds are bribery and hiring of voters.

In Reg. ex rel. Bond v. Patterson, a similar order was made. The grounds are bribery and hiring of voters.

FIVE MINERS KILLED.

Cave-in at the Froman Mine, Tavellville, Which Buried Five Out of Six Men Under Tons of Rock.

Syracuse, N.Y., Feb. 13.—A special despatch from Gouverneur, N.Y., to the Standard, says: Five miners were crushed to death and one probably fatally injured by a cave-in of Froman mine at Tavellville, five miles south of this village, today. The dead men are named McKay, Matthews, Tebbert, McLochin and LaRock. All except the first are married and have families. Another miner named Dwyer was fatally injured, and will probably die.

The accident occurred in a shaft 110 feet under ground. Near the hour of quitting work this afternoon several men were working at the bottom, and with little warning a section of the wall commenced to fall. They all still employed, and have a hard night's work before them. There is little communication between the mine and the village, but particulars have been coming and going between that place and the mine since the accident.

The accident is the worst that has occurred in the operation of the mine.

The accident is the worst that has occurred in the operation of the mine.

The accident is the worst that has occurred in the operation of the mine.

The accident is the worst that has occurred in the operation of the mine.

The accident is the worst that has occurred in the operation of the mine.

The accident is the worst that has occurred in the operation of the mine.

The accident is the worst that has occurred in the operation of the mine.

The accident is the worst that has occurred in the operation of the mine.

The accident is the worst that has occurred in the operation of the mine.

The accident is the worst that has occurred in the operation of the mine.

The accident is the worst that has occurred in the operation of the mine.

The accident is the worst that has occurred in the operation of the mine.

The accident is the worst that has occurred in the operation of the mine.

The accident is the worst that has occurred in the operation of the mine.

The accident is the worst that has occurred in the operation of the mine.

The accident is the worst that has occurred in the operation of the mine.

ANOTHER BREAK IN WHEAT.

The Chicago Market Closed at Lowest of Week.

PROVISIONS ARE HIGHER.

The Decline in Commercial Cables, Followed by a Rally.

Summers of Political Trouble in Europe Had a Bearish Influence on Wall-Street—The Trust Stocks Sold by Bears—A Large Decrease in Cash Reserves of New York Banks—The Local Grain and Provision Markets Bull—Port in Lower in Liverpool—Latest Commercial News.

Saturday Evening, Feb. 13. The 13th closed lower in Liverpool. Liverpool cables closed steady. Cash wheat in Chicago is 1/4c lower at 72 1/2c.

Wheat on curb 73 1/2c bid. Cash wheat in Chicago is 1/4c lower at 72 1/2c.

Provisions active and higher to-day, on report that the hog supply is much less than in former years.

Receipts of grain at Chicago to-day: Wheat 32,000 bushels, estimated for Monday, 25,000 bushels.

Argentine shipments of wheat this week were 100,000 bushels.

The visible supply of wheat is expected to show a decrease of 1,200,000 bushels on Monday.

Reports at New York for two days: Flour 800 barrels and 15,000 sacks; wheat 100,000 bushels.

Estimated receipts of grain at Chicago to-day: Wheat 32,000 bushels, estimated for Monday, 25,000 bushels.

Market strong and higher. Heavy ship-ments of wheat to Chicago to-day.

Market dull and unchanged. Sheep 100,000 head.

Hog packing in Chicago from the opening of the season to date, 2,072,000, as against 2,282,000 the corresponding period of last year.

One of the depressing influences that attracted western attention was the cable announcement of English authorities that India is reducing wheat to England the wheat bought in California.

Following are the closing prices to-day at important centers:

Chicago—Cash, 72 1/2c; May, 73 1/2c; July, 74 1/2c; Sept., 75 1/2c; Dec., 76 1/2c; March, 77 1/2c; May, 78 1/2c; July, 79 1/2c; Sept., 80 1/2c; Dec., 81 1/2c; March, 82 1/2c; May, 83 1/2c; July, 84 1/2c; Sept., 85 1/2c; Dec., 86 1/2c; March, 87 1/2c; May, 88 1/2c; July, 89 1/2c; Sept., 90 1/2c; Dec., 91 1/2c; March, 92 1/2c; May, 93 1/2c; July, 94 1/2c; Sept., 95 1/2c; Dec., 96 1/2c; March, 97 1/2c; May, 98 1/2c; July, 99 1/2c; Sept., 100 1/2c; Dec., 101 1/2c; March, 102 1/2c; May, 103 1/2c; July, 104 1/2c; Sept., 105 1/2c; Dec., 106 1/2c; March, 107 1/2c; May, 108 1/2c; July, 109 1/2c; Sept., 110 1/2c; Dec., 111 1/2c; March, 112 1/2c; May, 113 1/2c; July, 114 1/2c; Sept., 115 1/2c; Dec., 116 1/2c; March, 117 1/2c; May, 118 1/2c; July, 119 1/2c; Sept., 120 1/2c; Dec., 121 1/2c; March, 122 1/2c; May, 123 1/2c; July, 124 1/2c; Sept., 125 1/2c; Dec., 126 1/2c; March, 127 1/2c; May, 128 1/2c; July, 129 1/2c; Sept., 130 1/2c; Dec., 131 1/2c; March, 132 1/2c; May, 133 1/2c; July, 134 1/2c; Sept., 135 1/2c; Dec., 136 1/2c; March, 137 1/2c; May, 138 1/2c; July, 139 1/2c; Sept., 140 1/2c; Dec., 141 1/2c; March, 142 1/2c; May, 143 1/2c; July, 144 1/2c; Sept., 145 1/2c; Dec., 146 1/2c; March, 147 1/2c; May, 148 1/2c; July, 149 1/2c; Sept., 150 1/2c; Dec., 151 1/2c; March, 152 1/2c; May, 153 1/2c; July, 154 1/2c; Sept., 155 1/2c; Dec., 156 1/2c; March, 157 1/2c; May, 158 1/2c; July, 159 1/2c; Sept., 160 1/2c; Dec., 161 1/2c; March, 162 1/2c; May, 163 1/2c; July, 164 1/2c; Sept., 165 1/2c; Dec., 166 1/2c; March, 167 1/2c; May, 168 1/2c; July, 169 1/2c; Sept., 170 1/2c; Dec., 171 1/2c; March, 172 1/2c; May, 173 1/2c; July, 174 1/2c; Sept., 175 1/2c; Dec., 176 1/2c; March, 177 1/2c; May, 178 1/2c; July, 179 1/2c; Sept., 180 1/2c; Dec., 181 1/2c; March, 182 1/2c; May, 183 1/2c; July, 184 1/2c; Sept., 185 1/2c; Dec., 186 1/2c; March, 187 1/2c; May, 188 1/2c; July, 189 1/2c; Sept., 190 1/2c; Dec., 191 1/2c; March, 192 1/2c; May, 193 1/2c; July, 194 1/2c; Sept., 195 1/2c; Dec., 196 1/2c; March, 197 1/2c; May, 198 1/2c; July, 199 1/2c; Sept., 200 1/2c; Dec., 201 1/2c; March, 202 1/2c; May, 203 1/2c; July, 204 1/2c; Sept., 205 1/2c; Dec., 206 1/2c; March, 207 1/2c; May, 208 1/2c; July, 209 1/2c; Sept., 210 1/2c; Dec., 211 1/2c; March, 212 1/2c; May, 213 1/2c; July, 214 1/2c; Sept., 215 1/2c; Dec., 216 1/2c; March, 217 1/2c; May, 218 1/2c; July, 219 1/2c; Sept., 220 1/2c; Dec., 221 1/2c; March, 222 1/2c; May, 223 1/2c; July, 224 1/2c; Sept., 225 1/2c; Dec., 226 1/2c; March, 227 1/2c; May, 228 1/2c; July, 229 1/2c; Sept., 230 1/2c; Dec., 231 1/2c; March, 232 1/2c; May, 233 1/2c; July, 234 1/2c; Sept., 235 1/2c; Dec., 236 1/2c; March, 237 1/2c; May, 238 1/2c; July, 239 1/2c; Sept., 240 1/2c; Dec., 241 1/2c; March, 242 1/2c; May, 243 1/2c; July, 244 1/2c; Sept., 245 1/2c; Dec., 246 1/2c; March, 247 1/2c; May, 248 1/2c; July, 249 1/2c; Sept., 250 1/2c; Dec., 251 1/2c; March, 252 1/2c; May, 253 1/2c; July, 254 1/2c; Sept., 255 1/2c; Dec., 256 1/2c; March, 257 1/2c; May, 258 1/2c; July, 259 1/2c; Sept., 260 1/2c; Dec., 261 1/2c; March, 262 1/2c; May, 263 1/2c; July, 264 1/2c; Sept., 265 1/2c; Dec., 266 1/2c; March, 267 1/2c; May, 268 1/2c; July, 269 1/2c; Sept., 270 1/2c; Dec., 271 1/2c; March, 272 1/2c; May, 273 1/2c; July, 274 1/2c; Sept., 275 1/2c; Dec., 276 1/2c; March, 277 1/2c; May, 278 1/2c; July, 279 1/2c; Sept., 280 1/2c; Dec., 281 1/2c; March, 282 1/2c; May, 283 1/2c; July, 284 1/2c; Sept., 285 1/2c; Dec., 286 1/2c; March, 287 1/2c; May, 288 1/2c; July, 289 1/2c; Sept., 290 1/2c; Dec., 291 1/2c; March, 292 1/2c; May, 293 1/2c; July, 294 1/2c; Sept., 295 1/2c; Dec., 296 1/2c; March, 297 1/2c; May, 298 1/2c; July, 299 1/2c; Sept., 300 1/2c; Dec., 301 1/2c; March, 302 1/2c; May, 303 1/2c; July, 304 1/2c; Sept., 305 1/2c; Dec., 306 1/2c; March, 307 1/2c; May, 308 1/2c; July, 309 1/2c; Sept., 310 1/2c; Dec., 311 1/2c; March, 312 1/2c; May, 313 1/2c; July, 314 1/2c; Sept., 315 1/2c; Dec., 316 1/2c; March, 317 1/2c; May, 318 1/2c; July, 319 1/2c; Sept., 320 1/2c; Dec., 321 1/2c; March, 322 1/2c; May, 323 1/2c; July, 324 1/2c; Sept., 325 1/2c; Dec., 326 1/2c; March, 327 1/2c; May, 328 1/2c; July, 329 1/2c; Sept., 330 1/2c; Dec., 331 1/2c; March, 332 1/2c; May, 333 1/2c; July, 334 1/2c; Sept., 335 1/2c; Dec., 336 1/2c; March, 337 1/2c; May, 338 1/2c; July, 339 1/2c; Sept., 340 1/2c; Dec., 341 1/2c; March, 342 1/2c; May, 343 1/2c; July, 344 1/2c; Sept., 345 1/2c; Dec., 346 1/2c; March, 347 1/2c; May, 348 1/2c; July, 349 1/2c; Sept., 350 1/2c; Dec., 351 1/2c; March, 352 1/2c; May, 353 1/2c; July, 354 1/2c; Sept., 355 1/2c; Dec., 356 1/2c; March, 357 1/2c; May, 358 1/2c; July, 359 1/2c; Sept., 360 1/2c; Dec., 361 1/2c; March, 362 1/2c; May, 363 1/2c; July, 364 1/2c; Sept., 365 1/2c; Dec., 366 1/2c; March, 367 1/2c; May, 368 1/2c; July, 369 1/2c; Sept., 370 1/2c; Dec., 371 1/2c; March, 372 1/2c; May, 373 1/2c; July, 374 1/2c; Sept., 375 1/2c; Dec., 376 1/2c; March, 377 1/2c; May, 378 1/2c; July, 379 1/2c; Sept., 380 1/2c; Dec., 381 1/2c; March, 382 1/2c; May, 383 1/2c; July, 384 1/2c; Sept., 385 1/2c; Dec., 386 1/2c; March, 387 1/2c; May, 388 1/2c; July, 389 1/2c; Sept., 390 1/2c; Dec., 391 1/2c; March, 392 1/2c; May, 393 1/2c; July, 394 1/2c; Sept., 395 1/2c; Dec., 396 1/2c; March, 397 1/2c; May, 398 1/2c; July, 399 1/2c; Sept., 400 1/2c; Dec., 401 1/2c; March, 402 1/2c; May, 403 1/2c; July, 404 1/2c; Sept., 405 1/2c; Dec., 406 1/2c; March, 407 1/2c; May, 408 1/2c; July, 409 1/2c; Sept., 410 1/2c; Dec., 411 1/2c; March, 412 1/2c; May, 413 1/2c; July, 414 1/2c; Sept., 415 1/2c; Dec., 416 1/2c; March, 417 1/2c; May, 418 1/2c; July, 419 1/2c; Sept., 420 1/2c; Dec., 421 1/2c; March, 422 1/2c; May, 423 1/2c; July, 424 1/2c; Sept., 425 1/2c; Dec., 426 1/2c; March, 427 1/2c; May, 428 1/2c; July, 429 1/2c; Sept., 430 1/2c; Dec., 431 1/2c; March, 432 1/2c; May, 433 1/2c; July, 434 1/2c; Sept., 435 1/2c; Dec., 436 1/2c; March, 437 1/2c; May, 438 1/2c; July, 439 1/2c; Sept., 440 1/2c; Dec., 441 1/2c; March, 442 1/2c; May, 443 1/2c; July, 444 1/2c; Sept., 445 1/2c; Dec., 446 1/2c; March, 447 1/2c; May, 448 1/2c; July, 449 1/2c; Sept., 450 1/2c; Dec., 451 1/2c; March, 452 1/2c; May, 453 1/2c; July, 454 1/2c; Sept., 455 1/2c; Dec., 456 1/2c; March, 457 1/2c; May, 458 1/2c; July, 459 1/2c; Sept., 460 1/2c; Dec., 461 1/2c; March, 462 1/2c; May, 463 1/2c; July, 464 1/2c; Sept., 465 1/2c; Dec., 466 1/2c; March, 467 1/2c; May, 468 1/2c; July, 469 1/2c; Sept., 470 1/2c; Dec., 471 1/2c; March, 472 1/2c; May, 473 1/2c; July, 474 1/2c; Sept., 475 1/2c; Dec., 476 1/2c; March, 477 1/2c; May, 478 1/2c; July, 479 1/2c; Sept., 480 1/2c; Dec., 481 1/2c; March, 482 1/2c; May, 483 1/2c; July, 484 1/2c; Sept., 485 1/2c; Dec., 486 1/2c; March, 487 1/2c; May, 488 1/2c; July, 489 1/2c; Sept., 490 1/2c; Dec., 491 1/2c; March, 492 1/2c; May, 493 1/2c; July, 494 1/2c; Sept., 495 1/2c; Dec., 496 1/2c; March, 497 1/2c; May, 498 1/2c; July, 499 1/2c; Sept., 500 1/2c; Dec., 501 1/2c; March, 502 1/2c; May, 503 1/2c; July, 504 1/2c; Sept., 505 1/2c; Dec., 506 1/2c; March, 507 1/2c; May, 508 1/2c; July, 509 1/2c; Sept., 510 1/2c; Dec., 511 1/2c; March, 512 1/2c; May, 513 1/2c; July, 514 1/2c; Sept., 515 1/2c; Dec., 516 1/2c; March, 517 1/2c; May, 518 1/2c; July, 519 1/2c; Sept., 520 1/2c; Dec., 521 1/2c; March, 522 1/2c; May, 523 1/2c; July, 524 1/2c; Sept., 525 1/2c; Dec., 526 1/2c; March, 527 1/2c; May, 528 1/2c; July, 529 1/2c; Sept., 530 1/2c; Dec., 531 1/2c; March, 532 1/2c; May, 533 1/2c; July, 534 1/2c; Sept., 535 1/2c; Dec., 536 1/2c; March, 537 1/2c; May, 538 1/2c; July, 539 1/2c; Sept., 540 1/2c; Dec., 541 1/2c; March, 542 1/2c; May, 543 1/2c; July, 544 1/2c; Sept., 545 1/2c; Dec., 546 1/2c; March, 547 1/2c; May, 548 1/2c; July, 549 1/2c; Sept., 550 1/2c; Dec., 551 1/2c; March, 552 1/2c; May, 553 1/2c; July, 554 1/2c; Sept., 555 1/2c; Dec., 556 1/2c; March, 557 1/2c; May, 558 1/2c; July, 559 1/2c; Sept., 560 1/2c; Dec., 561 1/2c; March, 562 1/2c; May, 563 1/2c; July, 564 1/2c; Sept., 565 1/2c; Dec., 566 1/2c; March, 567 1/2c; May, 568 1/2c; July, 569 1/2c; Sept., 570 1/2c; Dec., 571 1/2c; March, 572 1/2c; May, 573 1/2c; July, 574 1/2c; Sept., 575 1/2c; Dec., 576 1/2c; March, 577 1/2c; May, 578 1/2c; July, 579 1/2c; Sept., 580 1/2c; Dec., 581 1/2c; March, 582 1/2c; May, 583 1/2c; July, 584 1/2c; Sept., 585 1/2c; Dec., 586 1/2c; March, 587 1/2c; May, 588 1/2c; July, 589 1/2c; Sept., 590 1/2c; Dec., 591 1/2c; March, 592 1/2c; May, 593 1/2c; July, 594 1/2c; Sept., 595 1/2c; Dec., 596 1/2c; March, 597 1/2c; May, 598 1/2c; July, 599 1/2c; Sept., 600 1/2c; Dec., 601 1/2c; March, 602 1/2c; May, 603 1/2c; July, 604 1/2c; Sept., 605 1/2c; Dec., 606 1/2c; March, 607 1/2c; May, 608 1/2c; July, 609 1/2c; Sept., 610 1/2c; Dec., 611 1/2c; March, 612 1/2c; May, 613 1/2c; July, 614 1/2c; Sept., 615 1/2c; Dec., 616 1/2c; March, 617 1/2c; May, 618 1/2c; July, 619 1/2c; Sept., 620 1/2c; Dec., 621 1/2c; March, 622 1/2c; May, 623 1/2c; July, 624 1/2c; Sept., 625 1/2c; Dec., 626 1/2c; March, 627 1/2c; May, 628 1/2c; July, 629 1/2c; Sept., 630 1/2c; Dec., 631 1/2c; March, 632 1/2c; May, 633 1/2c; July, 634 1/2c; Sept., 635 1/2c; Dec., 636 1/2c; March, 637 1/2c; May, 638 1/2c; July, 639 1/2c; Sept., 640 1/2c; Dec., 641 1/2c; March, 642 1/2c; May, 643 1/2c; July, 644 1/2c; Sept., 645 1/2c; Dec., 646 1/2c; March, 647 1/2c; May, 648 1/2c; July, 649 1/2c; Sept., 650 1/2c; Dec., 651 1/2c; March, 652 1/2c; May, 653 1/2c; July, 654 1/2c; Sept., 655 1/2c; Dec., 656 1/2c; March, 657 1/2c; May, 658 1/2c; July, 659 1/2c; Sept., 660 1/2c; Dec., 661 1/2c; March, 662 1/2c; May, 663 1/2c; July, 664 1/2c; Sept., 665 1/2c; Dec., 666 1/2c; March, 667 1/2c; May, 668 1/2c; July, 669 1/2c; Sept., 670 1/2c; Dec., 671 1/2c; March, 672 1/2c; May, 673 1/2c; July, 674 1/2c; Sept., 675 1/2c; Dec., 676 1/2c; March, 677 1/2c; May, 678 1/2c; July, 679 1/2c; Sept., 680 1/2c; Dec., 681 1/2c; March, 682 1/2c; May, 683 1/2c; July, 684 1/2c; Sept., 685 1/2c; Dec., 686 1/2c; March, 687 1/2c; May, 688 1/2c; July, 689 1/2c; Sept., 690 1/2c; Dec., 691 1/2c; March, 692 1/2c; May, 693 1/2c; July, 694 1/2c; Sept., 695 1/2c; Dec., 696 1/2c; March, 697 1/2c; May, 698 1/2c; July, 699 1/2c; Sept., 700 1/2c; Dec., 701 1/2c; March, 702 1/2c; May, 703 1/2c; July, 704 1/2c; Sept., 705 1/2c; Dec., 706 1/2c; March, 707 1/2c; May, 708 1/2c; July, 709 1/2c; Sept., 710 1/2c; Dec., 711 1/2c; March, 712 1/2c; May, 713 1/2c; July, 714 1/2c; Sept., 715 1/2c; Dec., 716 1/2c; March, 717 1/2c; May, 718 1/2c; July, 719 1/2c; Sept., 720 1/2c; Dec., 721 1/2c; March, 722 1/2c; May, 723 1/2c; July, 724 1/2c; Sept., 725 1/2c; Dec., 726 1/2c; March, 727 1/2c; May, 728 1/2c; July, 729 1/2c; Sept., 730 1/2c; Dec., 731 1/2c; March, 732 1/2c; May, 733 1/2c; July, 734 1/2c; Sept., 735 1/2c; Dec., 736 1/2c; March, 737 1/2c; May, 738 1/2c; July, 739 1/2c; Sept., 740 1/2c; Dec., 741 1/2c; March, 742 1/2c; May, 743 1/2c; July, 744 1/2c; Sept., 745 1/2c; Dec., 746 1/2c; March, 747 1/2c; May, 748 1/2c; July, 749 1/2c; Sept., 750 1/2c; Dec., 751 1/2c; March, 752 1/2c; May, 753 1/2c; July, 754 1/2c; Sept., 755 1/2c; Dec., 756 1/2c; March, 757 1/2c; May, 758 1/2c; July, 759 1/2c; Sept., 760 1/2c; Dec., 761 1/2c; March, 762 1/2c; May, 763 1/2c; July, 764 1/2c; Sept., 765 1/2c; Dec., 766 1/2c; March, 767 1/2c; May, 768 1/2c; July, 769 1/2c; Sept., 770 1/2c; Dec., 771 1/2c; March, 772 1/2c; May, 773 1/2c; July, 774 1/2c; Sept., 775 1/2c; Dec., 776 1/2c; March, 777 1/2c; May, 778 1/2c; July, 779 1/2c; Sept., 780 1/2c; Dec., 781 1/2c; March, 782 1/2c; May, 783 1/2c; July, 784 1/2c; Sept., 785 1/2c; Dec., 786 1/2c; March, 787 1/2c; May, 788 1/2c; July, 789 1/2c; Sept., 790 1/2c; Dec., 791 1/2c; March, 792 1/2c; May, 793 1/2c; July, 794 1/2c; Sept., 795 1/2c; Dec., 796 1/2c; March, 797 1/2c; May, 798 1/2c; July, 799 1/2c; Sept., 800 1/2c; Dec., 801 1/2c; March, 802 1/2c; May, 803 1/2c; July, 804 1/2c; Sept., 805 1/2c; Dec., 806 1/2c; March, 807 1/2c; May, 808 1/2c; July, 809 1/2c; Sept., 810 1/2c; Dec.,