

LIST OF FRESH-WATER FISHES OF THE GASPÉ
PENINSULA, P. Q., WITH NOTES ON THEIR DIS-
TRIBUTION IN THE MARITIME PROVINCES.

By PHILLIP COX.

1. PERCA AMERICANA, Schranck. *Yellow Perch.*

Metapedia River and Lake. Does not occur in the peninsula proper. Common in the Maritime Provinces.

2. COTTUS RICHARDSONII, Agassiz. *Miller's Thumb.*

In all the Gaspé rivers, except those emptying into Gaspé, Basin. A very variable form. Northern N. B.

3. COTTUS RICHARDSONII, Agassiz.

A peculiar variety from Bonaventure River, distinguished by its black colour, tad-pole shape, and wide separation of the dorsals.

4. URANIDEA GRACILIS, (Heckel) Putnam. *Miller's Thumb.*

Metapedia and Nouvelle, P. Q., Green River, Victoria Co., N. B.

5. URANIDEA BOLEOIDES (Girard) Jordan. *Miller's Thumb.*

Metapedia, with the last, from which it is scarcely specifically separate. Miramichi and St. John rivers, N. B.

6. CERATICHTHYS PLUMBEUS, Gunther. *C. prothemius, Cope.*

Metapedia River and Lake. A heavy stout form peculiar also to the lakes in St. John Co., N. B.

7. CERATICHTHYS PLUMBEUS, var.—

Grand Cascapedia; Nouvelle Lakes, New Carlisle; Grand Palbos. Differs from the type in the marked posterior insertion of the dorsal, short head, absence of barbel, scale formula, and crimson lateral band. An exceedingly handsome fish.

8. CERATICHTHYS PLUMBEUS, Gunther.

Little Cascapedia. Temiscouata Lake and the St John River, and Black River, Northumberland Co., N. B. The most usual type.