

Rubiaceæ.

Galium lanceolatum, (Torr.), *G. latifolium* of former Art. Common
in rich woods.

Dipsacæ.

Scabiosa atropurpurea, (L.) Grassy bank of Railroad Bay, probably
escaped from cultivation.

Compositæ.

Diplopappus umbellatus, (Torr. & Gr.) Thickets westward; rare.

Solidago squarrosa, (Muhl). Rocks, banks of the St. Lawrence.
westward; rare.

" *latifolia*, (L.), *S. Muhlenbergii* of former Art. Common in
shady places.

Rudbeckia laciniata, (L.) Grove near the Blue Church, and west-
ward on the banks of the St. Lawrence; rather rare.

Bidens frondosa, (L.) Everywhere; common.

" *Beckii*, (L.) Railroad Bay, and streams northward, but rare.

Tanacetum vulgare, (L.) Waste places near dwellings.

Lobeliaceæ.

Lobelia syphilitica, (L.) Low grounds; not common.

" *Kalmii*, (L.) Banks of St. Lawrence westward, in damp soil

Ericaceæ.

Vaccinium Pennsylvanicum, (Lam.) Dry thickets and woods; fre-
quent.

" *Canadense*, (Kalm). Moist woods and thickets; frequent.

" *Corymbosum*, (L.) Swamps northward; common.

Arctostaphylos Uva-ursi, (Spreng). Rocky banks of the St. Lawrence
near Brockville.

Ledum latifolium, (L.) Marsh near the Junction.

Plantaginaceæ.

Plantago lanceolata, (L.) Fields; rare.

Lentibulaceæ.

Urticularia vulgaris, (L.) Abundant in Conway's Creek.

Scrophulariaceæ.

Ilysanthes gratioloides, (Benth). Marsh near the Junction.

Melampyrum Americanum, (Michx). Rocks, woods westward; abun-
dant.

Labiataæ.

Mentha viridis, (L.) Wet places; not common.

Hedeoma pulegioides, (Pers.) Road-sides; very rare.

Monarda fistulosa, (L.) Banks of St. Lawrence westward.

Borraginaceæ.

Lithospermum arvense, (L.) Cultivated fields; rare.

Hydrophyllaceæ.

Hydrophyllum Virginicum, (L.) Rich woods, westward; rare.

Convolvulaceæ.

Convolvulus arvensis, (L.) Banks of the St. Lawrence, westward;
rare.