

Phyllotreta pusilla.—Santa Fé, N. M., May 25th, 1892. Received from Mr. J. R. DeMier, with report that they were very destructive to cabbages. A small dark greenish flea-beetle.

Octotoma marginicollis, Horn.—Grand Canon, Arizona. Hance trail. July 10th and 11th, 1892; four.*

Chelymorpha phytophagica, Cr.—Las Cruces, N. M., June 29th, 1891. On *Helianthus annuus*. A fine large black and red species.

Bruchus pauperculus, Lec.—Las Cruces, N. M.

Bruchus, sp.—Las Cruces, N. M. Bred from pods of tornillo (*Prosopis pubescens*). Pods were gathered in November, and the beetle issued in March following. Many more issued later.

Epitragus canaliculatus, Say.—La Vega de San José, N. M., August 4th: two.

Cryptoglossa lacris, Lec.—Grant County, N. M. (W. J. H.) Also Las Cruces, N. M. (See Insect Life, V., 39-40.)

Microschatia morata, Horn.—Grant County, N. M. (W. J. H.); one. A stout tenebrionid, wholly light brownish in colour.

Asida sordida, Lec.—Grant County, N. M. (W. J. H.); one. A blackish-brown tenebrionid, with rough elytra. Another specimen from same source is smaller and narrower, and constitutes a variety of this species.

Asida obovata, Lec.—La Vega de San José, N. M., August 4th; one. A black tenebrionid, with the body widened behind. Also one from Grant County, N. M. (W. J. H.), which differs in having the elytra rufous.

Eusattus reticulatus, Say.—Winslow, Arizona, June 29th; two. One from Grant County, N. M. (W. J. H.)

Eusattus muricatus, Lec.—Winslow, Arizona, June 29th; one.

Elcodes caudifera, Lec.—Winslow, Arizona, June 29th; two.

Trogloderus costatus, Lec.—Winslow, Arizona, June 29th; one. This is a blackish tenebrionid with grooved elytra.

Hymenorus punctatissimus, Lec.—Las Cruces, N. M., July 5th, 1891. Found a good many larvæ, probably this species, in burrows