

- pag. lin.
- exceedingly, and I should have taken it to be the same if the pedicels were not solitary, and, as Mr. Kerr observes, the germ polyspermous, which in *Noline* is only 3-spermous.
- 242 *Veratrum viride*, adde *Helonias viridis*. *Bot. mag.* 1096.
Veratrum angustifolium.—Of this species I have seen a fine specimen in the Sherardian Herbarium, under the name *Phalangium canadense majus ramosum*, *Iridis folio*, by which it appeared to grow likewise in Canada. The panicle was monoic not dioic, as I observed it in Virginia, the seeds lanceolate, membranaceous.
- 242 14 *ab infer. loco* legumine *lege* tegumine.
 243 23 *loco* thier *lege* their.
Helonias tenax, adde *Icon. Tab. 9.*
- 255 *Æsculus flava*, adde *Mich. arb. 3. p. 238. t. . .*
Æsculus glabra, adde *Mich. arb. 3. p. 242.*
- 259 4 *ab infer. adde nomen specificum, rosmarinifolium.*
- 263 dele *Oenothera scapigera. Ejus loco vid. Supplementum sub nomine Oenothera cæspitosa.*
- 264 *Menziesia globularis*, adde *M. fetruginea β. Bot. mag. 1571.* Though Dr. Sims considers this species only as a variety, I still think the distinctions given by A. Salisbury, Esq. are sufficient to keep it as a species.
- 265 *Diospyros virginiana*, adde *Mich. arb. 2. p. 195. t. 12.*
- 266 *Acer rubrum*, adde *Mich. arb. 2. p. 210. t. 14.*
Acer dasycarpum, adde *Mich. arb. 2. p. 205. t. 13.*
Acer saccharinum, adde *Mich. arb. 2. p. 218. t. 15.*
Acer nigrum, adde *Mich. arb. 2. p. 238. t. 16.*
- 267 *Acer striatum*, adde *Mich. arb. 2. p. 242. t. 17.*
- 268 *Acer Negundo*, adde *Mich. arb. 2. p. 247. t. 18.*
- 282 *inter AGROSTEMMA et OXALIS*, adde 394.
 LYCHNIS. *Cal. 1-phyllus, oblongus, lævis.*
Pet. 5. unguiculata, limbo subbifido. Caps. 1—5-locularis.
 6 loco 394 lege 395.
 10 loco 395 lege 396.