

CHEESE.

Inspector's Report.	RESULTS OF ANALYSIS.							Remarks and Opinion of the Chief Analyst.
	Water.	Fat.	Total Ash.	Salt in Ash.	Cond by Difference.	Reading of Burette-refractometer at 20° C.	Fat, per cent on dry Substance.	

J. F. POWER, INSPECTOR—Concluded.

	p. c.	p. c.	p. c.	p. c.	p. c.	p. c.	p. c.
.....	26.24	30.46	3.73	0.56	39.56	51.4	41.32
.....	26.88	29.96	3.08	0.39	40.08	52.4	40.97
.....	30.90	32.12	4.06	0.30	32.84	51.7	46.52
.....	27.20	31.26	4.31	0.66	37.10	49.5	43.08
.....	27.68	31.63	3.58	0.85	37.22	53.4	43.58
.....	29.60	30.20	3.56	0.77	36.64	52.1	42.89
.....	29.64	30.96	4.00	0.97	35.40	52.0	44.00
.....	32.20	29.88	3.64	1.02	34.28	51.4	44.07
.....	23.68	28.00	3.94	0.92	34.28	50.7	49.79

D. O'SULLIVAN, INSPECTOR.

	p. c.	p. c.	p. c.	p. c.	p. c.	p. c.	p. c.
.....	27.20	41.28	3.72	0.65	27.80	50.9	56.70
.....	24.88	34.24	3.50	0.65	37.36	52.9	45.58
.....	26.24	35.04	3.26	0.75	35.26	52.4	47.50
.....	28.12	33.60	3.08	0.76	35.20	53.0	46.74
.....	29.60	32.20	3.12	0.40	35.08	52.3	45.74
.....	28.16	32.00	3.12	0.77	28.72	50.9	44.54
.....	29.96	32.00	3.26	0.75	34.68	52.6	45.69
.....	28.60	31.75	3.44	0.79	36.21	51.9	44.47
.....	30.68	28.72	3.28	0.70	37.32	52.3	41.43
.....	25.48	35.80	2.90	0.81	34.82	50.0	47.26
.....	28.20	34.88	3.00	0.75	33.92	52.0	48.58
.....	28.36	32.96	3.52	0.92	35.16	50.7	46.00
.....	31.00	29.00	3.60	0.82	36.40	50.8	42.03
.....	29.68	32.92	3.44	1.00	33.96	52.5	46.81
.....	23.48	36.08	3.62	1.06	36.82	50.2	47.15