

TABLE III.

TRIANGLE FOOD.

Serial Number.	Departmental Number.	Moisture.	Fat by Petrolic Ether.	Loss to Alcohol.	Loss to Water.	Sum of losses to Alcohol and Water.	Proteids— N. x 6.25.	Ash.	Starch, &c., by Difference.	Remarks.
68	36196	7.35	1.70	1.20	2.55	3.75	12.25	0.70	74.25	Directed to be prepared with milk.

TRITICUMINA.

69	40026	5.62	1.58	1.20	5.10	6.30	12.88	0.50	73.12	Directed to be used with milk.
----	-------	------	------	------	------	------	-------	------	-------	--------------------------------

WAMPOLE'S MILK FOOD.

70	29919	3.75	7.40	55.80	17.40	73.20	11.62	2.46	
71	22940	3.35	7.10	55.60	15.70	71.30	14.18	2.64	
72	35870	2.53	7.20	57.15	16.75	73.90	12.43	2.44	
73	37578	2.40	7.45	55.70	19.30	75.00	11.81	2.68	
	Means.	3.00	7.29	55.85	17.29	73.14	12.51	2.55	1.51	

WEMALTA.

74	40027	9.30	1.20	9.25	19.55	28.80	10.69	1.06	Is directed to be prepared with water only.
75	39469	8.85	1.25	7.30	21.60	28.90	12.25	0.68	
76	36260	8.85	1.35	9.10	20.60	29.70	12.31	0.78	
	Means.	9.00	1.27	8.55	20.58	29.13	11.75	0.84	48.01	

WYETH'S PREPARED FOOD.

77	22936	3.00	1.30	46.00	22.30	68.30	14.69	3.50	7.21	
----	-------	------	------	-------	-------	-------	-------	------	------	--